# UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



# GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date:13-05-2025

# AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

### **Past Weather Data**

Parameter	10.05.2025	11.05.2025	12.05.2025	13.05.2025			
Rainfall (mm)	0	0	9	0			
Max. Temp. (°C)	34	34.2	34	31			
Min. Temp. (°C)	19.4	19.6	20.2	20.2			
Sky condition (Octas)	6	6	4	-			
Relative humidity (%) 0830 hours	44	44	67	96			
Relative humidity (%) 1730 hours	46	48	-	77			
Wind Speed (km/h)	2	0	0	-			
Wind Direction	90	0	0	-			

Weather forecast for the next five days (From 14-05-2025 to 18-05-2025)							
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025		
Rainfall (mm)	20	11	10	7	6		
Max. temp (°C)	31	31	31	31	31		
Min.Temp (°C)	20	20	20	20	20		
Sky condition (Octas)	5	6	5	6	6		
Relative humidity (%) 08:30 hours	87	87	86	86	86		
Relative humidity (%) 17:30 hours	68	69	68	68	68		
Wind Speed (kmph)	14	12	6	8	8		
Wind Direction	255	263	254	254	248		

# **Forecast Summary**

As forecast received from IMD, partially cloudy sky with Moderate rainfall may be expected from 14.05.2025 to 18.05.2025 in Mysuru district. The day temperature is expected to be 31°C & night temperature is expected 20°C. The relative humidity in the morning hours is expected to be 86-87% & afternoon relative humidity is expected to be in the range of 68-69% Wind speed expected to be 6-14 km/hr.

# **General Advisory:**

- ➤ Moderate rainfall is expected; carry out weeding and fertilizer application during dry periods.
- Ensure proper drainage in paddy, vegetable, and plantation crops to avoid water stagnation.
- > Support banana plants with props to prevent lodging due to wind and wet soil.
- > Avoid pesticide and fungicide sprays just before or during rain; use biocontrols if needed.
- > Provide clean water, dry bedding for livestock, and maintain good ventilation in poultry sheds.

# **SMS Advisory:**

Moderate rain likely. Ensure drainage in crops, support banana, avoid sprays in rain, monitor vegetable crops for disease, keep livestock sheds clean and dry.

Recommendations	to the farmers:-	
Weather based adv	isory	
Crop	Stage	Advisory
Paddy	Vegetative stage	Moderate rains are beneficial. Maintain 2–3 cm water in field. Apply top dressing of nitrogen (urea) if not yet done. Monitor for leaf folder and blast.
Maize	Tasseling stage	Ensure adequate soil moisture during tasseling—most critical stage. no irrigation needed if rain is sufficient. Avoid spraying during tasseling.
Finger millet	Vegetative stage	Favorable for vegetative growth. Intercultural operations can be done. Apply nitrogen top dressing after rains.
Tomato	Flowering	Avoid water stagnation. Stake plants to prevent lodging. Spray <b>borax</b> (0.2%) to prevent flower drop. Monitor for thrips and leaf curl virus.
Chilli	Fruit formation stage	Ensure good drainage. Apply potassium-rich fertilizers for fruit setting. Monitor for sucking pests and fruit rot after rains.
Banana	Fruit development stage	Support plants to prevent lodging due to wind. Maintain basin cleanliness. Apply potash and micronutrients if not done.
Black gram, Green gram and cowpea	Sowing	Rains are favorable for sowing. Choose well-drained fields. Avoid sowing just before the 21st (moderate rain) to prevent seed rotting.
Sugarcane	Vegetative	Moderate rain is good. Carry out earthing-up if not done. Top-dressing of nitrogen after rainfall is beneficial. Control early shoot borer.
Mango	Fruit development stage	Moderate rain is favorable. Ensure fruit fly traps are installed. Spray <b>potassium nitrate</b> (1%) for fruit development and to prevent spongy tissue.
Vegetable crops	Various stages	Ensure drainage to avoid root rot. Spraying should be planned before rainfall. Check for fungal/pest issues post-rain and apply need-based treatment.

Livestock, Poultr	ry, and Sericulture Advisory
Sector	Weather-Based Advisory
Livestock	Ensure clean, shaded, and well-ventilated shelters to prevent heat and humidity stress.
	Provide <b>plenty of clean drinking water</b> . Use fans if possible. Avoid grazing during
	midday heat. Supplement with mineral mixture and salt licks to maintain animal
	health. Regularly check hooves and shelter hygiene due to increased moisture.
Poultry	Maintain proper cross-ventilation and ensure adequate space in sheds to avoid
	crowding. Sprinkle water around sheds to reduce temperature. Provide cool, clean
	water with electrolytes. Feed birds during early morning and evening. Ensure dry
	<b>bedding</b> to prevent fungal issues due to humidity.
Sericulture	Maintain optimal rearing room temperature (26–28°C) and humidity (75–80%)
	through humidifiers or water sprinkling. Avoid overcrowding of worms. Provide
	well-moistened mulberry leaves, and protect mulberry gardens from rain damage
	using proper drainage and partial shade. Monitor for fungal diseases due to changing
	humidity.

# Block level weather forecast (From 14-05-2025 to 18-05-2025)

H.D. Kote						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	7.9	9.1	5.6	5.8	4.2	
Max. temp (°C)	31.2	31.6	30.5	30.1	30.8	
Min.Temp (°C)	21.7	22.1	22.1	21.7	21.7	
Sky condition (Octas)	5	7	8	8	8	
Relative humidity (%) 0830 hours	87.4	88.3	87.7	87.3	87.7	
Relative humidity (%) 1730 hours	47	46.6	50.5	51.7	44.7	
Wind Speed (kmph)	5.4	4.7	5.8	7.9	6.2	
Wind Direction	250.3	261.2	240.2	245.8	234.4	

Hunsuru						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	10	8.8	4.8	7.7	5.5	
Max. temp (°C)	31.1	31.6	30.7	30	30.4	
Min.Temp (°C)	21.8	22.1	22.1	21.6	21.6	
Sky condition (Octas)	6	7	7	8	8	
Relative humidity (%) 0830 hours	85	83.4	82.8	82.7	83.4	
Relative humidity (%) 1730 hours	45.8	44	46.6	48.6	43.9	
Wind Speed (kmph)	4.3	6.2	5.2	8.6	8	
Wind Direction	230	260	257.9	255.4	251.6	

K.R. Nagara						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	10.2	8	4.2	5	6.5	
Max. temp (°C)	31.2	31.8	31.2	30.5	30.5	
Min.Temp (°C)	22.1	22.4	22.2	21.9	21.8	
Sky condition (Octas)	6	7	8	8	8	
Relative humidity (%) 0830 hours	82.9	82.7	81.3	80.8	81.9	
Relative humidity (%) 1730 hours	45.4	43.3	44.9	46.6	42.8	
Wind Speed (kmph)	4.7	5.1	4	8.1	7.1	
Wind Direction	230	261.9	275.2	257.2	255.2	

Mysuru							
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025		
Rainfall (mm)	6.8	9.2	4.5	6.6	6.1		
Max. temp (°C)	32	32.2	31.9	31.2	31.4		
Min.Temp (°C)	22.4	22.6	22.7	22.2	22.2		
Sky condition (Octas)	6	7	8	8	8		
Relative humidity (%) 0830 hours	86.2	86.7	86.6	85.4	87.4		
Relative humidity (%) 1730 hours	44	43.6	46.2	46.6	42.5		
Wind Speed (kmph)	5.2	7.8	5.5	9.1	7.8		
Wind Direction	257.9	256.6	258.7	260.9	248.2		

Nanjanagudu						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	4.2	8.2	3	4.1	3.7	
Max. temp (°C)	32.6	32.9	32.7	32.1	32.4	
Min.Temp (°C)	22.8	22.6	22.9	22.7	22.5	
Sky condition (Octas)	5	7	8	8	8	
Relative humidity (%) 0830 hours	84.8	86.1	85.9	83	84.3	
Relative humidity (%) 1730 hours	43.3	41.3	43.5	44.8	40.1	
Wind Speed (kmph)	4	7.6	6.5	9.2	7.2	
Wind Direction	243.4	267.3	250.6	258.7	252.5	

Piriapatna						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	22	16.3	8.6	7.9	8.1	
Max. temp (°C)	29.8	29.9	29	28.4	29.2	
Min.Temp (°C)	21	21.2	21.2	20.9	20.9	
Sky condition (Octas)	6	7	8	8	7	
Relative humidity (%) 0830 hours	87.3	85.3	84.9	85.3	84.8	
Relative humidity (%) 1730 hours	48.5	48.1	52	53.1	46.8	
Wind Speed (kmph)	3.7	4.7	4.7	7.1	6.5	
Wind Direction	281.3	265.6	265.6	255.2	250.6	

T. Narasipura						
Parameter	14.05.2025	15.05.2025	16.05.2025	17.05.2025	18.05.2025	
Rainfall (mm)	3.1	8.5	2.8	5.9	6	
Max. temp (°C)	33.4	33.6	33.1	32.4	32.6	
Min.Temp (°C)	23.2	23	23.4	22.8	22.4	
Sky condition (Octas)	5	7	7	8	8	
Relative humidity (%) 0830 hours	86.2	87.5	87.5	87.6	88.7	
Relative humidity (%) 1730 hours	39.2	39.4	41.1	44.6	42	
Wind Speed (kmph)	4.6	8.1	6.4	9.2	7.9	
Wind Direction	251.6	257.2	253.6	258.7	245.8	

- Download "**DAMINI**" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM" APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/9535345814.

AMFU of IMD, Naganahalli, Mysuru

# वास्तविकवर्षातथाविस्तारितअवधिपूर्वानुमान Realized Rainfall and Extended Range Forecast (वर्षाऔरतापमान)

(Rainfall and Temperature)


# Realized Rainfall (10<sup>th</sup>to 23<sup>rd</sup>April, 2025)






#### **Extended Range Forecast System**

Rainfall forecast maps for the next 2 weeks (IC- 23<sup>rd</sup>April,2025) (25<sup>th</sup>April to 08<sup>th</sup>May, 2025)




- Week1(25.04.2025 to 01.05.2025):Rainfall is likely to be above normal in Kerala, South Karnataka, Northeast India, Gangetic West Bengal, Jharkhand and Bihar. Rainfall activity is likely over some parts of Tamil Nadu, Uttarakhand, Himachal Pradesh and Jammu & Kasmir.
- Week 2 (02.05.2025 to 08.05.2025):Rainfall is likely to be above normal over many parts of Northwest India, East India, Kerala, Tamil Nadu and Karnataka. Rainfall activity is likely over many parts of Northeast India.

# Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC- 23<sup>rd</sup> April,2025) (25<sup>th</sup> April to 08<sup>th</sup> May, 2025)



#### **Maximum Temperature (Tmax)**

- Week 1 (25.04.2025 to 01.05.2025): Maximum temperature is likely to be above normal over North West India, Gujarat, Konkan-Goa, Odisha and coastal regions of Tamil Nadu. However, it is likely to be below normal over rest of the country.
- Week 2 (02.05.2025 to 08.05.2025): Maximum temperature is likely to be below normal over most parts of the country. However, it is likely to be above normal over Konkan-Goa, Gujarat, West Rajasthan, Jammu & Kashmir, Himachal Pradesh, coastal regions of Tamil Nadu and some parts of Odisha and Assam.



# **Minimum Temperature (Tmin)**

- Week 1 (25.04.2025 to 01.05.2025): Minimum temperature is likely to be below normal over most parts of the county. However, it is likely to be above normal over Karnataka.
- Week 2 (02.05.2025 to 08.05.2025): Minimum temperature is likely to be below normal over many parts of the county. However, it is likely to be above normal over Rajasthan, Gujarat, Madhya Maharashtra and Karnataka.

