

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU – 570003**



Date:23-05-2025

AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	20.05.2025	21.05.2025	22.05.2025	23.05.2025
Rainfall (mm)	0	0	0	2
Max. Temp. (°C)	30.4	30	31.4	27.2
Min. Temp. (°C)	21.2	21.2	20.2	21.2
Sky condition (Octas)	6	6	4	0
Relative humidity (%) 0830 hours	75	75	71	98
Relative humidity (%) 1730 hours	69	70	77	97
Wind Speed (km/h)	0	0	4	0
Wind Direction	0	0	180	0

Weather forecast for the next five days (From 24-05-2025 to 28-05-2025)

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	10	25	25	30	12
Max. temp (°C)	31	31	30	30	29
Min.Temp (°C)	20	20	20	20	20
Sky condition (Octas)	6	8	8	8	8
Relative humidity (%) 08:30 hours	77	78	79	78	77
Relative humidity (%) 17:30 hours	52	65	66	65	64
Wind Speed (kmph)	15	16	18	16	16
Wind Direction	235	231	231	233	243

Forecast Summary

As forecast received from IMD, partially cloudy sky with **Moderate to heavy rainfall** may be expected from **24.05.2025 to 28.05.2025** in Mysuru district. The day temperature is expected to be 29-31°C & night temperature is expected 20°C. The relative humidity in the morning hours is expected to be 77-79% & afternoon relative humidity is expected to be in the range of 52-66% Wind speed expected to be 15-18 km/hr.

General Advisory:

- Ensure field drainage to avoid water stagnation due to expected rainfall.
- Spray fungicides to prevent fungal diseases favored by high humidity.
- Provide support to tall crops like banana and papaya against wind damage.
- Complete weeding/intercultivation during dry spells to retain soil moisture.
- Keep livestock shelters dry and ventilated; provide clean drinking water.

SMS Advisory:

Expect daily rain; delay irrigation, avoid pesticide spraying during rain, store fodder dry, and protect harvested produce.

Crops and Suitable Varieties for Sowing in May

Crop Type	Crop Name	Recommended Varieties
Millets & Cereals	Ragi	Indaf-9, GPU-45, 23.2.0350-48
	Maize (Shaktiman Maize)	CSV-4, CSH-5, CSH-9
	Sweet Corn	Hema, Nityashree, MAH-14-5, MAH-14-138
	Pop Corn	Amba
	Foxtail Millet (Navane)	SIA-326
	Barnyard Millet (Haraka)	RBK-155, GPUK-3
	Little Millet (Same)	CO-2, OLM-203
	Proso Millet (Baragu)	GPUP-8, GPUP-21
	Kodo Millet (Oodalu)	DHB M-93-3
	Browntop Millet (Korale)	GPUBT-2
Pulses	Red Gram	BRG-1, 2, 3, 4, 5, ICP-7035, TTB-7, Hyderabad-3C
	Green Gram	PS-16, Pusa Baisakhi, PDM-84-178, ..30-3
	Black Gram	Karagaon-3, T-9, Rashmi (LBG-625), LBG-791 (Suraksha)
	Cowpea	TVX-944-02I, KBC-1, KBC-2, KM-9, KM-5, KC-8 (KBC-11), PGCP-6
Oilseeds	Groundnut	GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27
	Soybean (Irrigated)	MAUS-2 (Pooja), Karune (vegetable type), KBS-23
	Sesame	GT-1, Navile-1 (Tunga), TMV-3, T-7, GKVK S-1
Horticultural	Fruits & Vegetables	Banana, Arecanut, Chilli, Turmeric, Potato, Ginger
Fodder Crops	Fodder Sorghum	JESET-3
	Cowpea (Fodder)	MFC-09-01, MFC -08-14, MFC -09-03
	Bajra-Napier Grass	PBN-342

Recommendations to the farmers:-		
Weather based advisory		
Crop	Stage	Advisory
Paddy	Vegetative stage	Moderate rains are beneficial. Maintain 2–3 cm water in field. Apply top dressing of nitrogen (urea) if not yet done. Monitor for leaf folder and blast.
Maize	Tasseling stage	Ensure adequate soil moisture during tasseling—most critical stage. no irrigation needed if rain is sufficient. Avoid spraying during tasseling.
Finger millet	Vegetative stage	Favorable for vegetative growth. Intercultural operations can be done. Apply nitrogen top dressing after rains.
Tomato	Flowering	Avoid water stagnation. Stake plants to prevent lodging. Spray borax (0.2%) to prevent flower drop. Monitor for thrips and leaf curl virus.
Chilli	Fruit formation stage	Ensure good drainage. Apply potassium-rich fertilizers for fruit setting. Monitor for sucking pests and fruit rot after rains.
Banana	Fruit development stage	Support plants to prevent lodging due to wind. Maintain basin cleanliness. Apply potash and micronutrients if not done.
Black gram, Green gram and cowpea	Sowing	Rains are favorable for sowing. Choose well-drained fields. Avoid sowing just before the 21st (moderate rain) to prevent seed rotting.
Sugarcane	Vegetative	Moderate rain is good. Carry out earthing-up if not done. Top-dressing of nitrogen after rainfall is beneficial. Control early shoot borer.
Mango	Fruit development stage	Moderate rain is favorable. Ensure fruit fly traps are installed. Spray potassium nitrate (1%) for fruit development and to prevent spongy tissue.
Vegetable crops	Various stages	Ensure drainage to avoid root rot. Spraying should be planned before rainfall. Check for fungal/pest issues post-rain and apply need-based treatment.

Livestock, Poultry, and Sericulture Advisory	
Sector	Weather-Based Advisory
Livestock	Ensure clean, shaded, and well-ventilated shelters to prevent heat and humidity stress. Provide plenty of clean drinking water . Use fans if possible. Avoid grazing during midday heat . Supplement with mineral mixture and salt licks to maintain animal health. Regularly check hooves and shelter hygiene due to increased moisture.
Poultry	Maintain proper cross-ventilation and ensure adequate space in sheds to avoid crowding. Sprinkle water around sheds to reduce temperature. Provide cool, clean water with electrolytes . Feed birds during early morning and evening . Ensure dry bedding to prevent fungal issues due to humidity.
Sericulture	Maintain optimal rearing room temperature (26–28°C) and humidity (75–80%) through humidifiers or water sprinkling . Avoid overcrowding of worms. Provide well-moistened mulberry leaves , and protect mulberry gardens from rain damage using proper drainage and partial shade. Monitor for fungal diseases due to changing humidity.

Block level weather forecast (From 24-05-2025 to 28-05-2025)**H.D. Kote**

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	2.5	11.5	105.4	24.2	5.5
Max. temp (°C)	26.6	24.8	23.5	23.2	23.9
Min.Temp (°C)	21.5	21.7	21.4	21.2	21.2
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	91.4	88.8	93.5	92.1	89.6
Relative humidity (%) 1730 hours	71.6	76.8	84.4	85.5	81.3
Wind Speed (kmph)	11.5	14.5	19.6	16.1	16.5
Wind Direction	218.6	226	227.2	243.4	238.4

Hunsuru

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	3.3	15	140.1	20.8	8.6
Max. temp (°C)	26.7	24.9	24.4	23.7	23.9
Min.Temp (°C)	21.2	21.6	21.2	20.9	21
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	91.6	86.8	92	90.6	87.8
Relative humidity (%) 1730 hours	69.1	75.4	81.6	82	78.9
Wind Speed (kmph)	11.7	17.3	20.9	17.1	18.1
Wind Direction	225	234.3	237.7	251.6	246.5

K.R. Nagara

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	3.1	16.4	117.4	14.8	7.1
Max. temp (°C)	27.2	25.1	24.1	24	24.7
Min.Temp (°C)	21.4	21.7	21.6	21.2	21.1
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	91	86.2	92	89.8	87.4
Relative humidity (%) 1730 hours	67.6	75.1	81.4	80.6	77.9
Wind Speed (kmph)	13	18.9	21.3	16.9	18.7
Wind Direction	228.3	235.1	232.5	253.9	247.4

Mysuru

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	1.1	8.8	133.3	14.2	5
Max. temp (°C)	27.9	26.1	24.6	25	24.9
Min.Temp (°C)	21.8	22	21.7	21.6	21.5
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	87.4	84.2	91.1	88.9	86.2
Relative humidity (%) 1730 hours	64.2	69.5	78	77.2	75.1
Wind Speed (kmph)	14.1	19	20.5	16.6	19.5
Wind Direction	230.2	232.7	230.7	248.4	244.8

Nanjanagudu

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	1.1	4.9	100.6	16.5	3.2
Max. temp (°C)	28.8	27.5	24.9	24.6	25.8
Min.Temp (°C)	22.6	22.9	22.1	22	21.6
Sky condition (Octas)	7	7	8	8	8
Relative humidity (%) 0830 hours	81.3	81.2	89.7	87	85.4
Relative humidity (%) 1730 hours	59.8	64.4	73.4	78.2	74.1
Wind Speed (kmph)	14.5	19.7	21.1	20.7	22.3
Wind Direction	240.2	241.5	233.3	249.7	249.2

Piriapatna

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	5.9	24.4	154.6	32	16
Max. temp (°C)	24.8	22.9	22.6	22.1	22.6
Min.Temp (°C)	20.5	20.8	20.7	20.2	20.2
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	95.2	91	95	93.9	90.8
Relative humidity (%) 1730 hours	76.2	83.2	88.6	88	85.2
Wind Speed (kmph)	11.8	17.7	18.9	16.3	17
Wind Direction	229.9	236.6	239	252	248.9

T. Narasipura

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	0.7	2.3	112.7	14	1.9
Max. temp (°C)	29.4	27.6	25.2	25.2	25.4
Min.Temp (°C)	22.5	22.9	22.4	22.1	22
Sky condition (Octas)	7	8	8	8	8
Relative humidity (%) 0830 hours	81	80.6	90	87.6	84.4
Relative humidity (%) 1730 hours	58.2	63.2	71.8	77.9	72.8
Wind Speed (kmph)	13.7	20	20.7	19.2	21.8
Wind Direction	234.6	239.7	228.5	244.4	247.7

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

**AMFU of IMD,
Naganahalli, Mysuru**


वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
 (वर्षा और तापमान)
 (Rainfall and Temperature)

Realized Rainfall
 (01st to 14th May, 2025)



Extended Range Forecast System


Rainfall forecast maps for the next 2 weeks (IC- 14th May,2025) (16th to 29th May, 2025)




- **Week1(16.05.2025 to 22.05.2025):**Rainfall is likely to be above normal over South India, Maharashtra, Odisha and many parts of North East India.
- **Week 2 (23.05.2025 to 29.05.2025):**Rainfall is likely to be above normal over South India, Maharashtra, many parts of East India, Nagaland Manipur Mizoram & Tripura, Chhattisgarh and East Uttar Pradesh.

Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC- 14th May,2025) (16th to 29th May, 2025)

MME forecast Tmax anomaly (Deg C) (Week 1: 16May–22May) (Week 2: 23May–29May)






Maximum Temperature (Tmax)

- **Week 1 (16.05.2025 to 22.05.2025):** Maximum temperature is likely to be above normal over many parts of North West India and East India and below normal over remaining parts of the country.
- **Week 2 (23.05.2025 to 29.05.2025):** Maximum temperature is likely to be above normal over North West India, Gujarat, Madhya Pradesh, some parts of Odisha, Assam and Arunachal Pradesh and below normal over remaining parts of the country.

MME forecast Tmin anomaly (Deg C)

(Week1: 16May-22May)

(Week2: 23May-29May)



Minimum Temperature (Tmin)

- **Week 1 (16.05.2025 to 22.05.2025):** Minimum temperature is likely to be above normal over many parts of North West India, East India and some parts of Karnataka and below normal over remaining parts of the country.
- **Week 2 (23.05.2025 to 29.05.2025):** Minimum temperature is likely to be above normal over many parts of North West India, Gujarat, Madhya Maharashtra and some parts of Karnataka and below normal over remaining parts of the country.