

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU – 570003**



Date:04-07-2025

AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	01.07.2025	02.07.2025	03.07.2025	04.07.2025
Rainfall (mm)	0	0.5	0	0
Max. Temp. (°C)	29.2	27.2	27	27
Min. Temp. (°C)	20	20	20	19.8
Sky condition (Octas)	6	8	8	8
Relative humidity (%) 0830 hours	70	78	84	77
Relative humidity (%) 1730 hours	-	85	81	95
Wind Speed (km/h)	0	2	2	0
Wind Direction	0	180	230	0

Weather forecast for the next five days (From 05-07-2025 to 09-07-2025)

Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	4	5	3	2	2
Max. temp (°C)	27	27	27	27	28
Min.Temp (°C)	20	21	21	20	20
Sky condition (Octas)	6	6	5	4	4
Relative humidity (%) 08:30 hours	81	80	80	81	82
Relative humidity (%) 17:30 hours	64	62	63	64	61
Wind Speed (kmph)	14	14	14	12	12
Wind Direction	241	242	246	243	246
Weather warning	Gusty wind	Gusty wind	Gusty wind	-	-

*GW/R+ - Gusty wind with heavy rainfall, GW – Gusty wind, TSH – Thunderstorm

Forecast Summary

As forecast received from IMD, partially cloudy sky with **light rainfall** may be expected from **05.07.2025 to 09.07.2025** in Mysuru district. The day temperature is expected to be 27-28°C & night temperature is expected 20-21°C. The relative humidity in the morning hours is expected to be 80-82% & afternoon relative humidity is expected to be in the range of 61-64% Wind speed expected to be 12-14 km/hr.

General Advisory:

- **Partly cloudy sky and light rainfall** expected – suitable for field operations such as sowing, transplanting, and fertilizer application.
- **Gusty winds**– support banana, pepper, and other tall crops to prevent lodging.
- **Maintain proper drainage** in low-lying fields to prevent excess moisture and root diseases, especially in vegetables, ginger, and spices.
- **Humidity levels are high** – favorable for fungal and bacterial diseases. Apply **preventive fungicides** (like Copper oxychloride or Mancozeb) during dry spells.
- **Fertilizer application** is favorable during this period – split doses are recommended for better efficiency.
- **Livestock care:** Provide shelter, dry bedding, and clean drinking water. Avoid grazing during gusty conditions.
 - Protect livestock from rain and provide clean drinking water

SMS Advisory:

Light rain expected next 5 days. Ensure field drainage, delay fertilizer use, stake banana, monitor pests. Keep livestock shelters dry.

Crops and Suitable Varieties for Sowing in July**Paddy (Rice)**

- General Sowing: MSN-99
 - Late June (3rd-4th week): BR-2655, Jaya
 - Aerobic Paddy: Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi
 - Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316
 - Maize (Shaktiman Maize): CSH-5, CSH-9
 - Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84
 - Popcorn: Amber
 - Bajra (Pearl Millet): WCC-75, PHVB-910
 - Late June (3rd-4th week): ICTP-8203, SMV-221, MH-946 (GHB-558)
 - Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3
 - Horsegram (Haraka): RBK-155, GPUK-3
 - Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11
 - Proso Millet (Oodalu): DHBM-93-3
 - Kodo Millet (Korale): GPUBT-2
 - Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7, Hyderabad-3C
 - Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27
 - Sunflower: KBSH-41, 90, 44, 53, 78, 85
 - Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23
 - Cotton: DCS-9 (Jyoti), 48-1 (Jwala)
 - Hybrid Varieties: DCH-177, GCH-4, 30.N.23-66
 - Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061
- Horticultural Crops

- Vegetables: Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
- Fruits: Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew
- Spices: Garlic, Ginger, Turmeric, Cardamom
- Fodder Crops
- Sorghum (Fodder Maize): JS-SF-3
- Cowpea (Fodder): MF-09-01, MF-08-14, 2-09-03
- Napier-Bajra Hybrid Grass: PBN-342

Recommendations to the farmers:-

Weather based advisory

Crop	Stage	Advisory Based on Forecast
Paddy	Kharif- Nursery preparation	- Ensure proper drainage in nursery fields due to light rainfall and high humidity. - Avoid nursery activities during gusty wind periods. - Prepare raised beds with bunds to prevent waterlogging.
Maize	Vegetative	- Light rainfall supports growth; continue intercultural operations. - Provide staking/support to prevent lodging from strong winds. - Monitor for stem borer and apply control measures if needed.
Tomato	Fruit formation	- High humidity may promote fungal diseases; apply preventive fungicides. - Avoid overhead irrigation; use mulching to retain soil moisture. - Provide staking to prevent wind damage.
Chilli	Fruit formation	- Maintain field hygiene to prevent fruit rot. - Ensure good drainage and avoid water stagnation. - Monitor and manage thrips and mites.
Banana	Fruit development	- Provide propping or support to prevent wind damage. - Monitor for foliar diseases like Sigatoka; apply fungicides as needed. - Maintain proper soil moisture.
Black gram, Green gram, Red gram, Field bean, Cowpea	Vegetative	- Carry out weeding and earthing-up after rainfall. - Ensure proper drainage to prevent root diseases. - Keep watch for sucking pests under humid conditions.
Sugarcane	Vegetative	- Light rainfall beneficial for growth; continue fertilization schedule. - Monitor for early signs of pests and diseases. - Use windbreaks if the crop is in open areas.
Vegetable crops (general)	Various stages	- Protect young plants from lodging due to wind. - Harvest mature produce timely to avoid losses. - Apply preventive sprays for fungal diseases due to high humidity and cloudy skies.
Category	Advisory	
Livestock	Provide clean and fresh drinking water regularly due to moderate temperatures. Ensure	

	well-ventilated, dry, and shaded shelters to protect animals from humidity and mild rainfall. Monitor animals for signs of respiratory issues due to humid conditions.
Poultry	Keep poultry sheds dry and well-ventilated. Avoid overcrowding to reduce stress and disease risk during humid and rainy days. Provide clean water and balanced feed during cooler morning and evening hours. Maintain hygiene to prevent fungal and bacterial infections.

Block level weather forecast (From 05-07-2025 to 09-07-2025)

H.D. Kote					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	0.6	1	0.8	0.7	0.8
Max. temp (°C)	26.7	26.7	26.4	26.9	27
Min.Temp (°C)	20.5	20.5	20.6	20.5	20.2
Sky condition (Octas)	7	8	8	7	6
Relative humidity (%) 0830 hours	92.2	92.5	92.8	93	94
Relative humidity (%) 1730 hours	69.4	68.7	67.5	66.7	65.4
Wind Speed (kmph)	13.2	13.5	14.2	12.5	11
Wind Direction	235	235.9	239.5	236.8	238.4

Hunsuru					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	0.8	1.5	0.9	0.9	1
Max. temp (°C)	26.6	26.7	26.5	26.8	26.9
Min.Temp (°C)	20.2	20.2	20.2	20.2	20.1
Sky condition (Octas)	7	8	7	7	6
Relative humidity (%) 0830 hours	92	92.3	92.2	93.6	94.1
Relative humidity (%) 1730 hours	69	69.5	69.2	66.8	65.3
Wind Speed (kmph)	14	14.7	15.5	14.2	11.9
Wind Direction	244.1	242.2	248.2	246	245

K.R. Nagara					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	1.2	1.5	1	0.8	0.8
Max. temp (°C)	27.1	27	26.9	27.1	27.1
Min.Temp (°C)	20.4	20.5	20.6	20.5	20.2

Sky condition (Octas)	7	8	7	7	6
Relative humidity (%) 0830 hours	91.8	91.7	91.4	92.5	93.2
Relative humidity (%) 1730 hours	68	68.9	67.6	65.4	64.6
Wind Speed (kmph)	13.5	14.8	16.1	13.9	12.3
Wind Direction	244.8	244	250.3	248.7	249.4

Mysuru					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	1.4	1.7	1	0.6	0.6
Max. temp (°C)	27.9	27.9	27.6	27.8	28
Min.Temp (°C)	20.7	20.8	20.9	20.9	20.6
Sky condition (Octas)	7	8	7	7	6
Relative humidity (%) 0830 hours	90	90.1	90.5	90.4	91.8
Relative humidity (%) 1730 hours	61	57.3	58.8	62.7	62.5
Wind Speed (kmph)	15.3	17.1	17.1	15.6	13.9
Wind Direction	243.4	242.3	247.7	247	245.4

Nanjanagudu					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	0.3	0.6	0.5	0.2	0.7
Max. temp (°C)	28.8	28.6	28.6	29	29
Min.Temp (°C)	21.4	21.4	21.6	21.4	21.2
Sky condition (Octas)	7	8	7	7	6
Relative humidity (%) 0830 hours	84.7	85.7	85.5	85.4	86.7
Relative humidity (%) 1730 hours	52	49.9	52.8	57.3	58.6
Wind Speed (kmph)	17.9	20.7	20.5	18.8	16.3
Wind Direction	247.5	249.7	251.6	249.8	252

Piriapatna					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	1.5	2.7	1.6	1.7	1.2
Max. temp (°C)	25.1	24.7	24.8	25.2	25.4
Min.Temp (°C)	19.6	19.7	19.7	19.7	19.6

Sky condition (Octas)	8	8	8	7	6
Relative humidity (%) 0830 hours	95.2	94.4	94.4	95.9	96.2
Relative humidity (%) 1730 hours	74.1	75.9	74.6	71.7	69.5
Wind Speed (kmph)	12.1	13.2	14.1	11.8	10.8
Wind Direction	243.4	244.1	250.6	246.6	248.5

T. Narasipura					
Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025	09.07.2025
Rainfall (mm)	0.5	0.6	0.3	0.2	0.4
Max. temp (°C)	29.4	29.4	29	29.5	29.5
Min.Temp (°C)	21.5	21.5	21.6	21.6	21.2
Sky condition (Octas)	7	7	7	7	5
Relative humidity (%) 0830 hours	82.5	83.5	86.5	86.6	87.5
Relative humidity (%) 1730 hours	45.4	45.1	47	53.1	53.9
Wind Speed (kmph)	17.1	19.9	19.6	17.7	16.1
Wind Direction	247.7	247.6	249.6	249.7	250.3


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

**AMFU of IMD,
Naganahalli, Mysuru**


वास्तविकवर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षा और तापमान)
(Rainfall and Temperature)

Realized Rainfall
(19th June to 02nd July, 2025)



Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC- 02nd July,2025)
(04th to 17th July, 2025)




- Week1(04.07.2025 to 10.07.2025):** Rainfall is likely to be above normal over Central India, West India, Rajasthan, Punjab, Haryana, Odisha and Gangetic West Bengal.
- Week 2 (11.07.2025 to 17.07.2025):** Rainfall is likely to be above normal over Gujarat, South Rajasthan and coastal regions of Kerala and Karnataka. However, it is likely to be below normal over East and NE India, many parts of North West India, South India and Maharashtra.

**Maximum and Minimum temperature anomaly (°C) forecast
for the next 2 weeks (IC- 02nd July, 2025)
(04th to 17th July, 2025)**

MME forecast Tmax anomaly (Deg C)

(Week1: 04Jul–10Jul)

(Week2: 11Jul–17Jul)




Maximum Temperature (Tmax)

- **Week 1 (04.07.2025 to 10.07.2025):** Maximum temperature is likely to be below normal over most parts of the country except Bihar, East Uttar Pradesh, many parts of North East India and coastal regions of Tamil Nadu.
- **Week 2 (11.07.2025 to 17.07.2025):** Maximum temperature is likely to be above normal over East and North East India, Uttar Pradesh, Uttarakhand, Himachal Pradesh, Chhattisgarh, Coastal Andhra Pradesh, coastal regions of Tamil Nadu and some parts of Karnataka.

MME forecast Tmin anomaly (Deg C)

(Week1: 04Jul–10Jul)

(Week2: 11Jul–17Jul)



Minimum Temperature (Tmin)

- **Week 1 (04.07.2025 to 10.07.2025):** Minimum temperature is likely to be below normal over most parts of the country except some parts of Karnataka, Uttarakhand, Uttar Pradesh and Bihar.
- **Week 2 (11.07.2025 to 17.07.2025):** Minimum temperature is likely to be above normal over North East India, Bihar, Uttar Pradesh, Uttarakhand, Himachal Pradesh, Chhattisgarh

and South Karnataka.