

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date:08-07-2025

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	05.07.2025	06.07.2025	07.07.2025	08.07.2025
Rainfall (mm)	0	3	0	-
Max. Temp. (°C)	29.7	28.3	28.5	-
Min. Temp. (°C)	21.3	21	20.4	-
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	97	98	97	-
Relative humidity (%) 1730 hours	59	58	61	-
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 09-07-2025 to 13-07-2025)

Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	2	3	3	3	3
Max. temp (°C)	29	30	29	29	29
Min.Temp (°C)	20	20	21	21	21
Sky condition (Octas)	5	6	5	5	5
Relative humidity (%) 0830 hours	86	87	87	86	86
Relative humidity (%) 1730 hours	64	65	66	61	65
Wind Speed (kmph)	12	12	12	10	10
Wind Direction	252	253	253	256	259
Weather Warning	Gusty wind	Gusty wind	Gusty wind	-	-

*GW - Gusty wind, TSH – Thunderstorm

Forecast Summary

As forecast received from IMD, cloudy sky with **light rainfall** may be expected from **09.07.2025 to 13.07.2025** in Mandya district. The day temperature is expected to be 29-30°C & night temperature is expected to be 20-21°C. The relative humidity in the morning hours is expected to be 86-87% & afternoon relative humidity is expected to be in the range of 61-66 % Wind speed expected to be 10-12 km/ hr.

General Advisory:

- **Partly cloudy sky and light rainfall** expected – suitable for field operations such as sowing, transplanting, and fertilizer application.
- **Gusty winds**– support banana, pepper, and other tall crops to prevent lodging.
- **Maintain proper drainage** in low-lying fields to prevent excess moisture and root diseases, especially in vegetables, ginger, and spices.
- **Humidity levels are high** – favorable for fungal and bacterial diseases. Apply **preventive fungicides** (like Copper oxychloride or Mancozeb) during dry spells.
- **Fertilizer application** is favorable during this period – split doses are recommended for better efficiency.
- **Livestock care:** Provide shelter, dry bedding, and clean drinking water. Avoid grazing during gusty conditions.
 - Protect livestock from rain and provide clean drinking water

SMS Advisory:

Light rain expected next 5 days. Ensure field drainage, delay fertilizer use, stake banana, monitor pests. Keep livestock shelters dry.

Crops and Suitable Varieties for Sowing in July**Paddy (Rice)**

- General Sowing: MSN-99
- Late June (3rd-4th week): BR-2655, Jaya
- Aerobic Paddy: Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi

Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316

Maize (Shaktiman Maize): CSH-5, CSH-9

Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84

Popcorn: Amber

Bajra (Pearl Millet): WCC-75, PHVB-910

- Late June (3rd-4th week): ICTP-8203, SMV-221, MH-946 (GHB-558)

Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3

Horsegram (Haraka): RBK-155, GPUK-3

Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11

Proso Millet (Oodalu): DHBM-93-3

Kodo Millet (Korale): GPUBT-2

Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7, Hyderabad-3C

Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27

Sunflower: KBSH-41, 90, 44, 53, 78, 85

Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23

Cotton: DCS-9 (Jyoti), 48-1 (Jwala)

- Hybrid Varieties: DCH-177, GCH-4, 30.N.23-66

Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061

Horticultural Crops

- Vegetables: Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
- Fruits: Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew

- Spices: Garlic, Ginger, Turmeric, Cardamom
- Fodder Crops
- Sorghum (Fodder Maize): JS-SF-3
- Cowpea (Fodder): MF-09-01, MF-08-14, 2-09-03
- Napier-Bajra Hybrid Grass: PBN-342

Recommendations to the farmers:-

Weather based advisory

Crop	Stage	Advisory Based on Forecast
Paddy	Kharif- Nursery preparation	- Ensure proper drainage in nursery fields due to light rainfall and high humidity. - Avoid nursery activities during gusty wind periods. - Prepare raised beds with bunds to prevent waterlogging.
Maize	Vegetative	- Light rainfall supports growth; continue intercultural operations. - Provide staking/support to prevent lodging from strong winds. - Monitor for stem borer and apply control measures if needed.
Tomato	Fruit formation	- High humidity may promote fungal diseases; apply preventive fungicides. - Avoid overhead irrigation; use mulching to retain soil moisture. - Provide staking to prevent wind damage.
Chilli	Fruit formation	- Maintain field hygiene to prevent fruit rot. - Ensure good drainage and avoid water stagnation. - Monitor and manage thrips and mites.
Banana	Fruit development	- Provide propping or support to prevent wind damage. - Monitor for foliar diseases like Sigatoka; apply fungicides as needed. - Maintain proper soil moisture.
Black gram, Green gram, Red gram, Field bean, Cowpea	Vegetative	- Carry out weeding and earthing-up after rainfall. - Ensure proper drainage to prevent root diseases. - Keep watch for sucking pests under humid conditions.
Sugarcane	Vegetative	- Light rainfall beneficial for growth; continue fertilization schedule. - Monitor for early signs of pests and diseases. - Use windbreaks if the crop is in open areas.
Vegetable crops (general)	Various stages	- Protect young plants from lodging due to wind. - Harvest mature produce timely to avoid losses. - Apply preventive sprays for fungal diseases due to high humidity and cloudy skies.

Category	Advisory
Livestock	Provide clean and fresh drinking water regularly due to moderate temperatures. Ensure well-ventilated, dry, and shaded shelters to protect animals from humidity and mild rainfall. Monitor animals for signs of respiratory issues due to humid conditions.
Poultry	Keep poultry sheds dry and well-ventilated. Avoid overcrowding to reduce stress and disease risk during humid and rainy days. Provide clean water and balanced feed during cooler morning and evening hours. Maintain hygiene to prevent fungal and bacterial infections.

Block level weather forecast (From 09-07-2025 to 13-07-2025)					
Krishnarajpet					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.2	0.3	0.6	0.3	0.5
Max. temp (°C)	28	28.8	28.1	28.2	27.9
Min.Temp (°C)	20.7	20.6	20.7	20.7	20.8
Sky condition (Octas)	6	6	7	7	7
Relative humidity (%) 0830 hours	90.1	89	88.1	87.2	87
Relative humidity (%) 1730 hours	60.5	58.8	61	59.4	59.2
Wind Speed (kmph)	14.7	13.7	14.6	15	15
Wind Direction	252.9	256.3	254.2	259	259

Maddur					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.3	0.3	0.8	0.5	0.7
Max. temp (°C)	30.2	31.2	30.2	30	29.9
Min.Temp (°C)	21.7	21.6	21.8	21.5	21.6
Sky condition (Octas)	6	6	7	6	7
Relative humidity (%) 0830 hours	86.7	85.7	85.2	84.5	84.6
Relative humidity (%) 1730 hours	50.9	48.1	52.6	49.8	49.6
Wind Speed (kmph)	14	13.6	13.5	14.5	13.7
Wind Direction	252	253	254.5	255.6	256.3

Malvalli					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.4	0.3	1	0.7	0.8
Max. temp (°C)	30.2	31.2	30.2	29.9	30.2
Min.Temp (°C)	21.9	21.7	21.8	21.4	21.6
Sky condition (Octas)	6	6	7	6	7
Relative humidity (%) 0830 hours	85.7	86	85.2	85.2	84.7
Relative humidity (%) 1730 hours	49.9	47.5	51.6	48.3	47
Wind Speed (kmph)	15.6	15.4	14.7	16.2	15.7
Wind Direction	251.1	253.7	252.9	253.2	254

Mandya					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.3	0.3	0.8	0.6	0.9
Max. temp (°C)	29.5	30.5	29.6	29.2	29.2
Min.Temp (°C)	21.2	21.2	21.2	21.2	21.2
Sky condition (Octas)	6	6	7	7	7
Relative humidity (%) 0830 hours	88.3	87.1	87	85.8	85.7
Relative humidity (%) 1730 hours	53.1	50.4	54.4	52.4	51.5
Wind Speed (kmph)	14.8	14.2	14.3	15.4	14.8
Wind Direction	251.6	253.8	252.5	253.7	256

Nagamangala					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.2	0.3	0.7	0.3	0.7
Max. temp (°C)	28.4	29.6	28.8	28.8	28.2
Min.Temp (°C)	20.9	20.9	20.9	20.8	21
Sky condition (Octas)	6	6	7	7	7
Relative humidity (%) 0830 hours	87.8	86.2	85.6	84.7	84
Relative humidity (%) 1730 hours	57.8	55.3	58.4	56.6	56.2
Wind Speed (kmph)	16.4	16.6	16.5	17.9	16.8
Wind Direction	254.7	257.5	258.7	259.6	261.3

Pandavapura					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.5	0.2	1.3	1	1.6
Max. temp (°C)	29.1	29.9	29.1	28.9	28.8
Min.Temp (°C)	21.2	21	21	20.9	21
Sky condition (Octas)	6	6	7	7	7
Relative humidity (%) 0830 hours	89.4	89.5	88.1	87.2	87.2
Relative humidity (%) 1730 hours	56.7	55.5	58.3	56.4	56
Wind Speed (kmph)	15.4	14	14.5	15.4	15
Wind Direction	249.4	252	251.1	253.7	253.3

Shrirangapatna					
Parameter	09.07.2025	10.07.2025	11.07.2025	12.07.2025	13.07.2025
Rainfall (mm)	0.5	0.2	1.3	1	1.6
Max. temp (°C)	29.1	29.8	28.9	28.8	28.9
Min.Temp (°C)	21.2	21	21.1	21	21
Sky condition (Octas)	6	6	7	6	7
Relative humidity (%) 0830 hours	89	89.4	87.6	87.4	87.2
Relative humidity (%) 1730 hours	56.6	56	58.7	56.5	54.2
Wind Speed (kmph)	15.5	14.1	14.9	15.5	15.1
Wind Direction	248.2	250.6	250.2	252.4	252


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru


वास्तविकवर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
 (वर्षा और तापमान)
(Rainfall and Temperature)

Realized Rainfall
(19th June to 02nd July, 2025)



Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC- 02nd July,2025)
(04th to 17th July, 2025)




- Week1(04.07.2025 to 10.07.2025):** Rainfall is likely to be above normal over Central India, West India, Rajasthan, Punjab, Haryana, Odisha and Gangetic West Bengal.
- Week 2 (11.07.2025 to 17.07.2025):** Rainfall is likely to be above normal over Gujarat, South Rajasthan and coastal regions of Kerala and Karnataka. However, it is likely to be below normal over East and NE India, many parts of North West India, South India and Maharashtra.

Maximum and Minimum temperature anomaly (°C) forecast
for the next 2 weeks (IC- 02nd July,2025)
(04th to 17th July, 2025)

MME forecast Tmax anomaly (Deg C)

(Week1: 04Jul–10Jul)

(Week2: 11Jul–17Jul)




Maximum Temperature (Tmax)

- **Week 1 (04.07.2025 to 10.07.2025):** Maximum temperature is likely to be below normal over most parts of the country except Bihar, East Uttar Pradesh, many parts of North East India and coastal regions of Tamil Nadu.
- **Week 2 (11.07.2025 to 17.07.2025):** Maximum temperature is likely to be above normal over East and North East India, Uttar Pradesh, Uttarakhand, Himachal Pradesh, Chhattisgarh, Coastal Andhra Pradesh, coastal regions of Tamil Nadu and some parts of Karnataka.

MME forecast Tmin anomaly (Deg C)

(Week1: 04Jul–10Jul)

(Week2: 11Jul–17Jul)



Minimum Temperature (Tmin)

- **Week 1 (04.07.2025 to 10.07.2025):** Minimum temperature is likely to be below normal over most parts of the country except some parts of Karnataka, Uttarakhand, Uttar Pradesh and Bihar.
- **Week 2 (11.07.2025 to 17.07.2025):** Minimum temperature is likely to be above normal over North East India, Bihar, Uttar Pradesh, Uttarakhand, Himachal Pradesh, Chhattisgarh and South Karnataka.