

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU – 570003**



Date:11-07-2025

AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	08.07.2025	09.07.2025	10.07.2025	11.07.2025
Rainfall (mm)	0	0	0	0
Max. Temp. (°C)	29.2	29.6	30	30.2
Min. Temp. (°C)	20.4	20	20	20.2
Sky condition (Octas)	8	-	8	7
Relative humidity (%) 0830 hours	70	67	73	71
Relative humidity (%) 1730 hours	75	62	71	65
Wind Speed (km/h)	0	-	0	2
Wind Direction	0	-	0	230

Weather forecast for the next five days (From 12-07-2025 to 16-07-2025)

Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	2	2	3	2	4
Max. temp (°C)	30	30	31	31	32
Min.Temp (°C)	20	21	21	20	20
Sky condition (Octas)	4	4	5	4	5
Relative humidity (%) 08:30 hours	80	81	80	81	82
Relative humidity (%) 17:30 hours	67	69	68	67	67
Wind Speed (kmph)	12	12	10	8	8
Wind Direction	248	249	248	241	241
Weather warning	Gusty wind	Gusty wind	Gusty wind	-	-

*GW/R+ - Gusty wind with heavy rainfall, GW – Gusty wind, TSH – Thunderstorm

Forecast Summary

As forecast received from IMD, partially cloudy sky with **very light rainfall** may be expected from **12.07.2025 to 16.07.2025** in Mysuru district. The day temperature is expected to be 30-32°C & night temperature is expected 20-21°C. The relative humidity in the morning hours is expected to be 80-82% & afternoon relative humidity is expected to be in the range of 67-69% Wind speed expected to be 08-12 km/hr.

General Advisory:

1. • **Irrigation:**
 - Since only very light rainfall is expected, farmers are advised to **continue irrigation** in all **field crops** and **horticultural crops** based on crop stage and soil moisture.
 - Use **drip or sprinkler systems** if available to conserve water.
2. **Weed Management:**
 - Conduct **weeding** operations as fields are relatively dry.
 - Apply **pre-emergent herbicides** where sowing has recently been completed.
3. **Fertilizer Application:**
 - Suitable time for **top dressing of nitrogen** (e.g., urea) in standing crops.
 - Ensure **adequate soil moisture** before fertilizer application.
4. **Plant Protection:**
 - Keep watch for **pest and disease incidence**, especially in vegetable crops.
 - Ensure timely application of **recommended pesticides/fungicides**.
5. **Horticulture Crops:**
 - **Irrigate fruit orchards** (banana, mango, sapota, etc.) as per schedule.
 - Perform **mulching** to retain soil moisture and suppress weed growth.
6. **Livestock:**
 - Ensure **clean drinking water** for animals.
 - Provide **shade/shelter** during mid-day heat.
7. **Post-harvest:**
 - Store harvested produce (grains/fruits) in **dry and ventilated** areas to avoid spoilage due to high humidity.

SMS Advisory:

Very light rain for 5 days. Irrigate field & horticulture crops. Carry out weeding, fertilizer, pest mgmt. Ensure livestock water & shelter.

Crops and Suitable Varieties for Sowing in July

Paddy (Rice)

- General Sowing: MSN-99
 - Late June (3rd-4th week): BR-2655, Jaya
 - Aerobic Paddy: Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi
- Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316
- Maize (Shaktiman Maize): CSH-5, CSH-9
- Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84
- Popcorn: Amber
- Bajra (Pearl Millet): WCC-75, PHVB-910
- Late June (3rd-4th week): ICTP-8203, SMV-221, MH-946 (GHB-558)
- Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3
- Horsegram (Haraka): RBK-155, GPUK-3
- Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11
- Proso Millet (Oodalu): DHBM-93-3
- Kodo Millet (Korale): GPUBT-2

Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7, Hyderabad-3C

Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27

Sunflower: KBSH-41, 90, 44, 53, 78, 85

Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23

Cotton: DCS-9 (Jyoti), 48-1 (Jwala)

- Hybrid Varieties: DCH-177, GCH-4, 30.N.23-66

Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061

Horticultural Crops

- Vegetables: Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
 - Fruits: Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew
 - Spices: Garlic, Ginger, Turmeric, Cardamom
- Fodder Crops
- Sorghum (Fodder Maize): JS-SF-3
 - Cowpea (Fodder): MF-09-01, MF-08-14, 2-09-03
 - Napier-Bajra Hybrid Grass: PBN-342

Recommendations to the farmers:-

Weather based advisory

Crop	Stage	Advisory Based on Forecast
Paddy	Kharif- Nursery preparation	- Ensure proper drainage in nursery fields due to light rainfall and high humidity. - Avoid nursery activities during gusty wind periods. - Prepare raised beds with bunds to prevent waterlogging.
Maize	Vegetative	- Light rainfall supports growth; continue intercultural operations. - Provide staking/support to prevent lodging from strong winds. - Monitor for stem borer and apply control measures if needed.
Tomato	Fruit formation	- High humidity may promote fungal diseases; apply preventive fungicides. - Avoid overhead irrigation; use mulching to retain soil moisture. - Provide staking to prevent wind damage.
Chilli	Fruit formation	- Maintain field hygiene to prevent fruit rot. - Ensure good drainage and avoid water stagnation. - Monitor and manage thrips and mites.
Banana	Fruit development	- Provide propping or support to prevent wind damage. - Monitor for foliar diseases like Sigatoka; apply fungicides as needed. - Maintain proper soil moisture.
Black gram, Green gram, Red gram, Field	Vegetative	- Carry out weeding and earthing-up after rainfall. - Ensure proper drainage to prevent root diseases. - Keep watch for sucking pests under humid conditions.

bean, Cowpea		
Sugarcane	Vegetative	- Light rainfall beneficial for growth; continue fertilization schedule. - Monitor for early signs of pests and diseases. - Use windbreaks if the crop is in open areas.
Vegetable crops (general)	Various stages	- Protect young plants from lodging due to wind. - Harvest mature produce timely to avoid losses. - Apply preventive sprays for fungal diseases due to high humidity and cloudy skies.
Category	Advisory	
Livestock	Provide clean and fresh drinking water regularly due to moderate temperatures. Ensure well-ventilated, dry, and shaded shelters to protect animals from humidity and mild rainfall. Monitor animals for signs of respiratory issues due to humid conditions.	
Poultry	Keep poultry sheds dry and well-ventilated. Avoid overcrowding to reduce stress and disease risk during humid and rainy days. Provide clean water and balanced feed during cooler morning and evening hours. Maintain hygiene to prevent fungal and bacterial infections.	

Block level weather forecast (From 12-07-2025 to 16-07-2025)

H.D. Kote					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	1.6	1.4	3.1	2.1	11.6
Max. temp (°C)	27.4	27.2	26.5	25	24.8
Min.Temp (°C)	20.6	20.7	20.7	20.5	20
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	94.1	93.8	93.1	94.1	95.8
Relative humidity (%) 1730 hours	67.6	65.2	66.3	73.4	73.7
Wind Speed (kmph)	9.3	10.9	12.2	11.4	11.8
Wind Direction	242.4	235.8	241.9	235.3	229.9

Hunsuru					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	2.6	0.8	3.9	3.6	12.9
Max. temp (°C)	27.5	27.2	26.7	25.1	24.9
Min.Temp (°C)	20.2	20.6	20.6	20.5	19.9
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	93.1	91.8	91.5	93.6	95
Relative humidity (%) 1730 hours	65.2	65.2	66.2	73.7	74.3
Wind Speed (kmph)	10.7	12.4	13.7	12.9	11.6

Wind Direction	250.3	247.9	251.6	243.4	240.2
-----------------------	-------	-------	-------	-------	-------

K.R. Nagara					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	2.8	1.4	4	2.1	5.3
Max. temp (°C)	27.8	27.6	27.1	25.4	25.4
Min.Temp (°C)	20.4	20.8	20.8	20.7	20.2
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	92.7	91.1	90.9	92.3	93.8
Relative humidity (%) 1730 hours	64.5	63.9	64.6	71.9	73
Wind Speed (kmph)	10.6	11.4	13.5	12.9	12.1
Wind Direction	252.2	251.6	254.5	247	247.2

Mysuru					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	5	5.8	6	2.5	6.1
Max. temp (°C)	28.1	28.1	27.5	26.1	25.9
Min.Temp (°C)	20.7	20.9	20.7	20.8	20.4
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	92.3	91.6	91.3	92	93.5
Relative humidity (%) 1730 hours	60.1	59.4	59.4	68.9	66.8
Wind Speed (kmph)	12.2	14	15.1	15	13.8
Wind Direction	251	247.4	252	245.9	242.1

Nanjanagudu					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	2	2.3	2.9	2.2	7.9
Max. temp (°C)	29	29	28.2	26.1	27
Min.Temp (°C)	21.2	21.4	21.2	21.2	21
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	89.6	88.8	87.3	88.5	89.5
Relative humidity (%) 1730 hours	55.6	54.3	55.5	65	59.7
Wind Speed (kmph)	13.4	17.1	18.1	18.6	17.1

Wind Direction	256	251.6	257.3	251.9	247.7
-----------------------	-----	-------	-------	-------	-------

Piriapatna					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	1.6	1.1	3.4	4.5	13.4
Max. temp (°C)	26.2	25.7	25.4	23.7	23.6
Min.Temp (°C)	19.9	20.2	20.1	19.7	19.5
Sky condition (Octas)	7	7	8	8	8
Relative humidity (%) 0830 hours	95.2	94.1	94	95.7	96.4
Relative humidity (%) 1730 hours	70	70.3	70.6	78.6	78.7
Wind Speed (kmph)	8.4	9.7	11.7	11.8	11.4
Wind Direction	250	248.2	252.1	246.6	245.8


T. Narasipura					
Parameter	12.07.2025	13.07.2025	14.07.2025	15.07.2025	16.07.2025
Rainfall (mm)	2.4	2.8	4	2	3.4
Max. temp (°C)	29.7	29.6	28.7	27.1	27.9
Min.Temp (°C)	21.5	21.5	21.2	21.4	21.1
Sky condition (Octas)	6	7	8	8	8
Relative humidity (%) 0830 hours	88.5	88.7	87.5	88.3	89.8
Relative humidity (%) 1730 hours	48.7	50	50.5	59.3	55.1
Wind Speed (kmph)	13.5	16.1	17.2	18	16.8
Wind Direction	254.5	250.3	254.2	250.1	247.3


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD,
Naganahalli, Mysuru

वास्तविकवर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षा और तापमान)
(Rainfall and Temperature)






- **Week1(11.07.2025 to 17.07.2025):** Rainfall is likely to be above normal over Central India, Gujarat, Rajasthan, Punjab, Haryana and Odisha.
- **Week 2 (18.07.2025 to 24.07.2025):** Rainfall is likely to be above normal over Central India, East Rajasthan, Odisha, Coastal Andhra Pradesh and Kerala.

**Maximum and Minimum temperature anomaly ($^{\circ}$ C) forecast
for the next 2 weeks (IC- 09th July, 2025)
(11th to 24th July, 2025)**

MME forecast Tmax anomaly (Deg C)

(Week1: 11Jul-17Jul)

(Week2: 18Jul-24Jul)



Maximum Temperature (Tmax)


- **Week 1 (11.07.2025 to 17.07.2025):** Maximum temperature is likely to be above normal over Bihar, East Uttar Pradesh, many parts of North East India, some parts in South Karnataka and coastal regions of Tamil Nadu and Coastal Andhra Pradesh.

- **Week 2 (18.07.2025 to 24.07.2025):** Maximum temperature is likely to be above normal over East India, North East India, Himachal Pradesh, Uttarakhand, Uttar Pradesh, Chhattisgarh, Karnataka, Madhya Maharashtra and coastal regions of Tamil Nadu.

MME forecast Tmin anomaly (Deg C)

(Week1: 11Jul–17Jul)

(Week2: 18Jul–24Jul)



Minimum Temperature (Tmin)

- **Week 1 (11.07.2025 to 17.07.2025):** Minimum temperature is likely to be below normal over most parts of the country except East Uttar Pradesh, Bihar and South Karnataka.
- **Week 2 (18.07.2025 to 24.07.2025):** Minimum temperature is likely to be above normal over North East India, Himachal Pradesh, Uttarakhand, Uttar Pradesh, Bihar, Chhattisgarh and South Karnataka.