

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date: 29-07-2025

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	26.07.2025	27.07.2025	28.07.2025	29.07.2025
Rainfall (mm)	0	1.5	0.5	0
Max. Temp. (°C)	26.9	27.9	27.2	27.9
Min. Temp. (°C)	21.8	20.4	19.4	20.2
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	94	97	98	97
Relative humidity (%) 1730 hours	64	62		58
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 30-07-2025 to 27-07-2025)

Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	2	2	1	1	4
Max. temp (°C)	28	27	28	27	27
Min.Temp (°C)	20	20	20	21	21
Sky condition (Octas)	6	5	6	5	6
Relative humidity (%) 0830 hours	91	88	88	90	91
Relative humidity (%) 1730 hours	73	64	63	60	57
Wind Speed (kmph)	12	12	10	10	10
Wind Direction	262	260	254	261	266

Forecast Summary

As forecast received from IMD, cloudy sky with **light rainfall** may be expected from **30.07.2025 to 03.08.2025** in Mandya district. The day temperature is expected to be 27-28°C & night temperature is expected to be 20-21°C. The relative humidity in the morning hours is expected to be 88-91% & afternoon relative humidity is expected to be in the range of 57-73% Wind speed expected to be 10-12 km/ hr.

General Advisory:

- ✓ **Wind Warning:** All crops are vulnerable to lodging or physical damage from gusty winds—take preventive structural/mechanical measures.
- ✓ **Disease Precaution:** High relative humidity (especially mornings) favors fungal/bacterial diseases—monitor crops closely.
- ✓ **Field Operations:** Schedule intercultural and pesticide applications during rain-free, low-wind periods.

SMS Advisory:

Rain and strong winds expected; support crops, ensure drainage, delay paddy transplanting during peak winds, and protect tomato and chilli from disease.

Crops and Suitable Varieties for Sowing in July**Paddy (Rice)**

- **General Sowing:** MSN-99
- **Late June (3rd-4th week):** BR-2655, Jaya
- **Aerobic Paddy:** Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi

Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316

Maize (Shaktiman Maize): CSH-5, CSH-9

Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84

Popcorn: Amber

Bajra (Pearl Millet): WCC-75, PHVB-910

- **Late June (3rd-4th week):** ICTP-8203, SMV-221, MH-946 (GHB-558)

Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3

Horsegram (Haraka): RBK-155, GPUK-3

Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11

Proso Millet (Oodalu): DHBM-93-3

Kodo Millet (Korale): GPUBT-2

Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7, Hyderabad-3C

Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27

Sunflower: KBSH-41, 90, 44, 53, 78, 85

Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23

Cotton: DCS-9 (Jyoti), 48-1 (Jwala)

- **Hybrid Varieties:** DCH-177, GCH-4, 30.N.23-66

Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061

Horticultural Crops

- **Vegetables:** Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
- **Fruits:** Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew
- **Spices:** Garlic, Ginger, Turmeric, Cardamom

Fodder Crops

- **Sorghum (Fodder Maize):** JS-SF-3
- **Cowpea (Fodder):** MF-09-01, MF-08-14, 2-09-03
- **Napier-Bajra Hybrid Grass:** PBN-342

Recommendations to the farmers:-		
Weather based advisory		
Crop	Stage	Weather-Based Advisory
Paddy	Transplanting	- Avoid transplanting during gusty wind hours; secure young seedlings. - Maintain optimum water level (2–3 cm) in field. - Apply recommended basal fertilizer post-transplanting.
Maize	Vegetative	- Provide staking/support against gusty winds. - Monitor for stem borer infestation due to high humidity. - Ensure proper drainage.
Tomato	Fruit formation	- Prevent fungal diseases (blight) using recommended fungicides due to high humidity & rainfall. - Avoid water stagnation.
Chilli	Fruit formation	- Spray preventive fungicides for anthracnose and fruit rot. - Harvest mature fruits before rainfall if possible.
Banana	Fruit development	- Provide propping to prevent lodging from gusty winds. - Maintain drainage. - Apply potassium-rich fertilizer for fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Vegetative	- Check for pest/disease incidence, especially leaf spots and aphids. - Avoid foliar sprays during rainfall. - Ensure soil is not waterlogged.
Sugarcane	Vegetative	- Ensure sufficient drainage. - Consider earthing-up operations. - Apply recommended fertilizer dose post-rain.
Vegetable crops (general)	Various stages	- Protect from fungal infections with prophylactic sprays. - Provide support where needed. - Harvest mature vegetables before expected rainfall.

Sector	Advisory
Livestock	- Provide clean, dry shelter to protect from rain and wind. - Maintain hygiene to prevent hoof and skin infections. - Ensure adequate clean water and balanced nutrition.
Poultry	- Keep sheds well-ventilated but protected from rain and gusty winds. - Maintain dry litter to avoid disease. - Provide vitamin supplements to boost immunity.
Sericulture	- Maintain optimum temperature and humidity in rearing houses. - Ensure mulberry leaves are not wet during feeding. - Improve ventilation to prevent fungal diseases in silkworms.

Recommendations to the farmers:-		
Weather based advisory		
Crop	Stage	Weather-Based Advisory

Paddy	Transplanting	- Avoid transplanting during gusty wind hours; secure young seedlings. - Maintain optimum water level (2–3 cm) in field. - Apply recommended basal fertilizer post-transplanting.
Maize	Vegetative	- Provide staking/support against gusty winds. - Monitor for stem borer infestation due to high humidity. - Ensure proper drainage.
Tomato	Fruit formation	- Prevent fungal diseases (blight) using recommended fungicides due to high humidity & rainfall. - Avoid water stagnation.
Chilli	Fruit formation	- Spray preventive fungicides for anthracnose and fruit rot. - Harvest mature fruits before rainfall if possible.
Banana	Fruit development	- Provide propping to prevent lodging from gusty winds. - Maintain drainage. - Apply potassium-rich fertilizer for fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Vegetative	- Check for pest/disease incidence, especially leaf spots and aphids. - Avoid foliar sprays during rainfall. - Ensure soil is not waterlogged.
Sugarcane	Vegetative	- Ensure sufficient drainage. - Consider earthing-up operations. - Apply recommended fertilizer dose post-rain.
Vegetable crops (general)	Various stages	- Protect from fungal infections with prophylactic sprays. - Provide support where needed. - Harvest mature vegetables before expected rainfall.

Block level weather forecast (From 30-07-2025 to 03-08-2025)					
Krishnarajpet					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	1	0.8	1.1	1	2.6
Max. temp (°C)	26.1	26.7	26.9	27.8	28.6
Min.Temp (°C)	20.6	20.6	20.6	20.2	20.2
Sky condition (Octas)	7	7	7	6	6
Relative humidity (%) 0830 hours	88.1	89	90.2	91.7	92.2
Relative humidity (%) 1730 hours	70.3	66.8	65.4	63.3	60.2
Wind Speed (kmph)	18.1	18.9	13.1	10.5	9.4
Wind Direction	264.3	262.3	254	264.1	272.2

Maddur					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.6	1.3	0.3	0.2	0.2
Max. temp (°C)	26.5	25.8	27.6	28.7	28.8
Min.Temp (°C)	21.7	21.2	21.1	21.1	21.6

Sky condition (Octas)	8	8	6	7	6
Relative humidity (%) 0830 hours	86.8	86.9	86.9	85.2	83.8
Relative humidity (%) 1730 hours	64	66.6	59	55.9	60
Wind Speed (kmph)	18.5	17.9	15.6	16.1	17.3
Wind Direction	249.4	247.5	251.1	259.7	265.2

Malvalli					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.3	0.2	0.7	3.4	5.5
Max. temp (°C)	28.8	29.2	29.2	30.1	30.5
Min.Temp (°C)	21.1	21.5	21.2	21.2	21.1
Sky condition (Octas)	5	7	6	5	6
Relative humidity (%) 0830 hours	86.1	86.9	87.3	89.4	91.2
Relative humidity (%) 1730 hours	56.1	59.7	60.8	57.2	51.6
Wind Speed (kmph)	17.6	18.1	14.9	10.8	9.3
Wind Direction	254.5	252.6	250.2	254.6	256.5

Mandya					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.3	0.2	0.4	1.4	5.1
Max. temp (°C)	27.7	28.2	28.2	29.2	30
Min.Temp (°C)	21	21	21	20.8	20.7
Sky condition (Octas)	6	7	6	5	6
Relative humidity (%) 0830 hours	85.5	88.5	87.7	90.3	91.5
Relative humidity (%) 1730 hours	60.2	62.7	63	59	53.5
Wind Speed (kmph)	17.2	18	13.4	11	9.5
Wind Direction	259.2	258.5	249.6	258.7	261.2

Nagamangala					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.4	0.2	0.4	0.7	5.9
Max. temp (°C)	26.6	27	27.5	28	28.9
Min.Temp (°C)	20.6	20.7	20.7	20.2	20.2
Sky condition (Octas)	6	7	6	5	6
Relative humidity (%) 0830 hours	86.9	87.6	88.2	89.9	92.4
Relative humidity (%) 1730 hours	68.6	66.6	64.3	61.7	59.8

Wind Speed (kmph)	19.9	21.3	16.5	12.6	11.5
Wind Direction	264.8	264.2	258.7	265.1	273.6

Pandavapura					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.6	0.5	0.8	1.1	5.2
Max. temp (°C)	27.4	27.9	27.9	28.9	29.2
Min.Temp (°C)	20.8	20.9	20.9	20.7	20.5
Sky condition (Octas)	6	7	7	6	6
Relative humidity (%) 0830 hours	87.4	89.6	89.4	91	92.1
Relative humidity (%) 1730 hours	64.7	64.6	64	59.2	56.6
Wind Speed (kmph)	16.5	17.4	13.6	10.7	9.2
Wind Direction	258.7	256.8	248.2	256.4	258.7

Shrirangapatna					
Parameter	30.07.2025	31.07.2025	01.08.2025	02.08.2025	03.08.2025
Rainfall (mm)	0.7	0.6	0.8	1.2	5.1
Max. temp (°C)	27.5	27.9	27.9	29.1	29.4
Min.Temp (°C)	20.6	21	20.9	20.6	20.7
Sky condition (Octas)	6	7	7	6	6
Relative humidity (%) 0830 hours	88.9	89.7	90	91	92.4
Relative humidity (%) 1730 hours	64.3	65.2	65.2	59.1	56.8
Wind Speed (kmph)	16.4	17.1	14.4	10.9	8.9
Wind Direction	254.7	251.6	247.9	252.7	256

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.Umashankar Kumar**, N. Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru



वास्तविकवर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षा और तापमान)
(Rainfall and Temperature)

Realized Rainfall
(03rd to 16th July, 2025)




Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC- 16th July, 2025)
(18th to 31st July, 2025)




- **Week1(18.07.2025 to 24.07.2025):** Rainfall is likely to be above normal over Kerala, Tamil Nadu, Andhra Pradesh, Telangana and East Rajasthan.
- **Week 2 (25.07.2025 to 31.07.2025):** Rainfall is likely to be above normal over Central India, Odisha, Jharkhand, Maharashtra, Coastal Karnataka, Kerala, Coastal Andhra Pradesh and Telangana.

**Maximum and Minimum temperature anomaly (°C) forecast
for the next 2 weeks (IC- 16th July, 2025)
(18th to 31st July, 2025)**



Maximum Temperature (Tmax)

- **Week 1 (18.07.2025 to 24.07.2025):** Maximum temperature is likely to be above normal over East and North East India, Chhattisgarh, East Madhya Pradesh, Uttar Pradesh, Haryana, Uttarakhand, Himachal Pradesh, Karnataka, Madhya Maharashtra, parts of Gujarat and Coastal Andhra Pradesh.
- **Week 2 (25.07.2025 to 31.07.2025):** Maximum temperature is likely to be above normal over North East India, Bihar, Gangetic West Bengal and most parts of North West India.



Minimum Temperature (Tmin)

- **Week 1 (18.07.2025 to 24.07.2025):** Minimum temperature is likely to be above normal over Chhattisgarh, many parts of North West India, East Madhya Pradesh, North East

India, Bihar, Madhya Maharashtra and Karnataka.

- **Week 2 (25.07.2025 to 31.07.2025):** Minimum temperature is likely to be above normal over many parts of North West India, Central India, North East India, Madhya Maharashtra, Bihar, Gangetic West Bengal and Karnataka.