

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU – 570003**



Date:08-08-2025

AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	05.08.2025	06.08.2025	07.08.2025	08.08.2025
Rainfall (mm)	7	48	0	0
Max. Temp. (°C)	31.2	30.2	30.2	30
Min. Temp. (°C)	21	20	20.8	21
Sky condition (Octas)	8	8	8	8
Relative humidity (%) 0830 hours	78	84	75	84
Relative humidity (%) 1730 hours	60	-	65	-
Wind Speed (km/h)	0	0	2	0
Wind Direction	0	0	270	0

Weather forecast for the next five days (From 09-08-2025 to 13-08-2025)

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	2	2	2	1	2
Max. temp (°C)	30	29	30	29	30
Min.Temp (°C)	21	21	21	20	21
Sky condition (Octas)	5	5	6	5	5
Relative humidity (%) 08:30 hours	93	92	91	88	89
Relative humidity (%) 17:30 hours	59	67	60	57	52
Wind Speed (kmph)	12	10	8	6	6
Wind Direction	251	246	242	245	240

Forecast Summary

As forecast received from IMD, partially cloudy sky with **Very light to light rainfall** may be expected from **09.08.2025 to 13.08.2025** in Mysuru district. The day temperature is expected to be 29-30°C & night temperature is expected 20-21°C. The relative humidity in the morning hours is expected to be 88-93% & afternoon relative humidity is expected to be in the range of 52-67% Wind speed expected to be 06-12 km/hr.

General Advisory:

- ✓ **Wind Warning:** All crops are vulnerable to lodging or physical damage from gusty winds—take preventive structural/mechanical measures.
- ✓ **Disease Precaution:** High relative humidity (especially mornings) favors fungal/bacterial diseases—monitor crops closely.
- ✓ **Field Operations:** Schedule intercultural and pesticide applications during rain-free, low-wind periods.

SMS Advisory:

Rain and strong winds expected; support crops, ensure drainage, delay paddy transplanting during peak winds, and protect tomato and chilli from disease.

Crops and Suitable Varieties for Sowing in July**Paddy (Rice)**

- **General Sowing:** MSN-99
- **Late June (3rd-4th week):** BR-2655, Jaya
- **Aerobic Paddy:** Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi

Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316

Maize (Shaktiman Maize): CSH-5, CSH-9

Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84

Popcorn: Amber

Bajra (Pearl Millet): WCC-75, PHVB-910

- **Late June (3rd-4th week):** ICTP-8203, SMV-221, MH-946 (GHB-558)

Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3

Horsegram (Haraka): RBK-155, GPUK-3

Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11

Proso Millet (Oodalu): DHBM-93-3

Kodo Millet (Korale): GPUBT-2

Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7, Hyderabad-3C

Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27

Sunflower: KBSH-41, 90, 44, 53, 78, 85

Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23

Cotton: DCS-9 (Jyoti), 48-1 (Jwala)

- **Hybrid Varieties:** DCH-177, GCH-4, 30.N.23-66

Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061

Horticultural Crops

- **Vegetables:** Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
- **Fruits:** Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew
- **Spices:** Garlic, Ginger, Turmeric, Cardamom

Fodder Crops

- **Sorghum (Fodder Maize):** JS-SF-3
- **Cowpea (Fodder):** MF-09-01, MF-08-14, 2-09-03
- **Napier-Bajra Hybrid Grass:** PBN-342

--

Recommendations to the farmers:-		
Weather based advisory		
Crop	Stage	Weather-Based Advisory
Paddy	Transplanting	- Avoid transplanting during gusty wind hours; secure young seedlings. - Maintain optimum water level (2–3 cm) in field. - Apply recommended basal fertilizer post-transplanting.
Maize	Vegetative	- Provide staking/support against gusty winds. - Monitor for stem borer infestation due to high humidity. - Ensure proper drainage.
Tomato	Fruit formation	- Prevent fungal diseases (blight) using recommended fungicides due to high humidity & rainfall. - Avoid water stagnation.
Chilli	Fruit formation	- Spray preventive fungicides for anthracnose and fruit rot. - Harvest mature fruits before rainfall if possible.
Banana	Fruit development	- Provide propping to prevent lodging from gusty winds. - Maintain drainage. - Apply potassium-rich fertilizer for fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Vegetative	- Check for pest/disease incidence, especially leaf spots and aphids. - Avoid foliar sprays during rainfall. - Ensure soil is not waterlogged.
Sugarcane	Vegetative	- Ensure sufficient drainage. - Consider earthing-up operations. - Apply recommended fertilizer dose post-rain.
Vegetable crops (general)	Various stages	- Protect from fungal infections with prophylactic sprays. - Provide support where needed. - Harvest mature vegetables before expected rainfall.

Sector	Advisory
Livestock	- Provide clean, dry shelter to protect from rain and wind. - Maintain hygiene to prevent hoof and skin infections. - Ensure adequate clean water and balanced nutrition.
Poultry	- Keep sheds well-ventilated but protected from rain and gusty winds. - Maintain dry litter to avoid disease. - Provide vitamin supplements to boost immunity.
Sericulture	- Maintain optimum temperature and humidity in rearing houses. - Ensure mulberry leaves are not wet during feeding. - Improve ventilation to prevent fungal diseases in silkworms.

Block level weather forecast (From 09-08-2025 to 13-08-2025)**H.D. Kote**

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	10.3	3.4	2.5	1.8	1.4
Max. temp (°C)	26.9	25.5	25.6	26.2	25.8
Min.Temp (°C)	20.5	20.2	19.9	19.8	19.6
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	96.1	95.6	95.3	95.1	95.2
Relative humidity (%) 1730 hours	73.3	77.9	71.8	72.3	74.3
Wind Speed (kmph)	5.4	7.2	6.6	8.4	9.4
Wind Direction	233.1	233.1	229.4	239	237.5

Hunsuru

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	12	6.6	3.5	3.1	2.3
Max. temp (°C)	26.8	25.5	25.5	26.2	25.6
Min.Temp (°C)	20.4	20.1	19.7	19.6	19.2
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	94.6	94.8	94.3	94.8	95.1
Relative humidity (%) 1730 hours	70.6	77.5	71	70.4	73
Wind Speed (kmph)	6.7	7.8	7.6	8.1	10.8
Wind Direction	254.5	248.2	244.6	249.1	244.3

K.R. Nagara

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	11.2	7.8	3.1	3.4	2.7
Max. temp (°C)	27.2	25.4	25.7	26.4	26.1
Min.Temp (°C)	20.6	20.2	19.9	19.6	19.6
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	94	94	93.4	93.9	94.3
Relative humidity (%) 1730 hours	68.7	76.8	69.9	69.9	72
Wind Speed (kmph)	5.9	7.8	7.1	8.4	10.6
Wind Direction	256	248.2	246	250	246

Mysuru

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	12.8	8.5	3.2	4.3	4.2
Max. temp (°C)	28.2	25.9	26.2	26.8	26.5
Min.Temp (°C)	21	20.7	20.2	20.1	19.8
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	93.4	93.3	93.1	93.3	93.8
Relative humidity (%) 1730 hours	65.7	74.3	68.1	68.3	69.2
Wind Speed (kmph)	7.3	9.4	8.2	10	12.6
Wind Direction	249.8	247.4	246.8	249	246.4

Nanjanagudu

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	10.8	7.1	3.4	2.2	1.5
Max. temp (°C)	28.7	26.7	26.7	27.2	27.4
Min.Temp (°C)	21.2	20.9	20.6	20.2	20.2
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	92.6	91.7	91.7	90.1	90.3
Relative humidity (%) 1730 hours	62.2	70.3	65.2	65.2	64.1
Wind Speed (kmph)	7.6	9.9	8.7	10.4	12.8
Wind Direction	250.7	259.5	253.1	256	253.6

Piriapatna

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	12.1	6.4	2.9	2.3	1.8
Max. temp (°C)	26.1	23.9	24.4	25.2	24.8
Min.Temp (°C)	19.7	19.5	19.2	18.9	18.9
Sky condition (Octas)	8	8	8	7	7
Relative humidity (%) 0830 hours	96.3	96.9	96.5	96.7	96.6
Relative humidity (%) 1730 hours	72	79.9	74.8	71.8	74.3
Wind Speed (kmph)	5.2	6.5	6.3	7.3	8.4
Wind Direction	254	250.6	246.4	249.8	244.5

T. Narasipura

Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025	13.08.2025
Rainfall (mm)	11	8	2.5	3.3	2.1
Max. temp (°C)	29.1	27.1	27.2	27.6	27.5
Min.Temp (°C)	21.7	21.2	20.9	20.7	20.5
Sky condition (Octas)	8	8	8	8	7
Relative humidity (%) 0830 hours	91.1	90.7	90.6	90	90.3
Relative humidity (%) 1730 hours	59.7	68.1	60.9	62.2	61.8
Wind Speed (kmph)	7.6	9.8	9.2	10.7	13.4
Wind Direction	244.6	252.9	249.4	250.3	249.6

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.Umashankar Kumar, N.**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

**AMFU of IMD,
Naganahalli, Mysuru**



वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षा और तापमान)
(Rainfall and Temperature)

Realized Rainfall
(17th to 30th July, 2025)




Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC - 30th July, 2025)
(01st to 14th August, 2025)




- **Week1(01.08.2025 to 07.08.2025):** Rainfall is likely to be above normal over many parts of North West India, East India and Tamil Nadu. However, it is likely to be below normal over West India, coastal Karnataka, Telangana, many parts of Central India, Nagaland Manipur Mizoram & Tripura, Coastal Andhra Pradesh and Odisha.
- **Week 2 (08.08.2025 to 14.08.2025):** Rainfall is likely to be above normal over many parts of South India, East India, some parts of North East India, East Uttar Pradesh, Madhya Maharashtra, Haryana and adjoining parts of Rajasthan. However, it is likely to be below normal over Central India, Gujarat, Konkan-Goa, Jammu & Kashmir, Punjab, Himachal Pradesh and Uttarakhand.


**Maximum and Minimum temperature anomaly ($^{\circ}$ C) forecast
for the next 2 weeks (IC- 30th July, 2025)
(01st to 14th August, 2025)**



Maximum Temperature (Tmax)

- **Week 1 (01.08.2025 to 07.08.2025):** Maximum temperature is likely to be above normal over Odisha, Chhattisgarh, Karnataka, Madhya Maharashtra, some parts of Madhya Pradesh and Coastal Andhra Pradesh.
- **Week 2 (08.08.2025 to 14.08.2025):** Maximum temperature is likely to be above normal over Central India, West India, Karnataka, Himachal Pradesh, parts of Telangana and Coastal Andhra Pradesh.





Minimum Temperature (Tmin)

- **Week 1 (01.08.2025 to 07.08.2025):** Minimum temperature is likely to be above normal over Karnataka, Chhattisgarh and Himachal Pradesh.
- **Week 2 (08.08.2025 to 14.08.2025):** Minimum temperature is likely to be above normal over many parts of Central India, North West India, Maharashtra and Karnataka.