UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date:12-08-2025

AGRO-ADVISORY BULLETIN FOR KODAGU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data							
Parameter	09.08.2025	10.08.2025	11.08.2025	12.08.2025			
Rainfall (mm)	-	-	1	1			
Max. Temp. (°C)	-	-	-	-			
Min. Temp. (°C)	-	-	-	-			
Sky condition (Octas)	-	-	-	-			
Relative humidity (%) 0830 hours	-	ı	ı	ı			
Relative humidity (%) 1730 hours	-	-	-	-			
Wind Speed (km/h)	-	-	-	-			
Wind Direction	-	-	-	-			

Weather forecast for the next five days (From 13-08-2025 to 17-08-2025)

Parameter	13.08.2025	14.08.2025	15.08.2025	16.08.2025	17.08.2025
Rainfall (mm)	12	10	12	11	14
Max. Temp. (°C)	27	28	27	28	27
Min. Temp. (°C)	19	20	19	20	20
Sky condition (Octas)	5	6	5	5	6
Relative humidity (%) 0830 hours	92	93	93	92	92
Relative humidity (%) 1730 hours	70	72	74	73	72
Wind Speed (kmph)	8	6	8	8	6
Wind Direction	256	261	257	255	248

Forecast Summary

As forecast received from IMD, cloudy sky with Light rainfall may be expected from 13.08.2025 to 17.08.2025 in Kodagu district. The day temperature is expected to be 27-28°C & night temperature is expected 19-20°C. The relative humidity in the morning hours is expected to be 92-93% & afternoon relative humidity is expected to be in the range of 70-74%. Wind speed expected to be 6-8 km/ hr.

SMS Advisory

Heavy rain and gusty winds are expected; farmers are advised to ensure proper drainage in all crops, support banana and pepper plants, protect vegetables from fruit rot and blight, and schedule fertilizer and pesticide applications during dry intervals.

General Advisory

- Heavy to very heavy rainfall with gusty winds may increase disease and lodging risks—plan field activities accordingly.
- Avoid **pesticide/fertilizer application** during rainfall; use rain-free windows.
- Ensure field sanitation and monitoring for pest/disease outbreaks post-rain.

Recommendations to the farmers:-

Crop	Pest/Disease	Damage symptoms	Control measures
------	--------------	-----------------	------------------

Crops and Suitable Varieties for Sowing in August

Paddy (Rice)

• General Sowing: MSN-99

• Late June (3rd-4th week): BR-2655, Jaya

• Aerobic Paddy: Daksha (KMP-175), Onnasiri (MAS-26), Sharada (MAS-946), Anagha (ARB-6), Rashi

Ragi (Finger Millet): Indaf-8, MR-1, MR-6, L-5, KMR-301, GPU-45, KMR-316

Maize (Shaktiman Maize): CSH-5, CSH-9

Pearl Millet (Musuku Jola): Hema, Nithyashree, MAH-14-5, MAH-14-138, MAH-15-84

Popcorn: Amber

Bajra (Pearl Millet): WCC-75, PHVB-910

• Late June (3rd-4th week): ICTP-8203, SMV-221, MH-946 (GHB-558)

Foxtail Millet (Navane): PS-4, SIA-326, GPUF-3

Horsegram (Haraka): RBK-155, GPUK-3

Little Millet (Same): CO-2, OLM-203, GPUL-6, GPUL-11

Proso Millet (Oodalu): DHBM-93-3 Kodo Millet (Korale): GPUBT-2

Red Gram (Pigeon Pea / Togari): BRG-1, BRG-2, BRG-3, BRG-4, BRG-5, ICP-7035, TTB-7,

Hyderabad-3C

Groundnut (Nelekadale): GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2,

GKVK-27

Sunflower: KBSH-41, 90, 44, 53, 78, 85

Soybean (Soya Avare): MAUS-2 (Pooja), Karune (vegetable soybean), KBS-23

Cotton: DCS-9 (Jyoti), 48-1 (Jwala)

• **Hybrid Varieties**: DCH-177, GCH-4, 30.N.23-66

Sesame (Hucchellu) - 4th week of June: KBN-1, No.71, KBN-2, 52: 2.2-62175, 2.2-86032, 2.2.A.2-18061

Horticultural Crops

- Vegetables: Tomato, Potato, Brinjal, Chilli, Cabbage, Radish, Knol-khol, Carrot, Onion
- Fruits: Mango, Banana, Lime, Guava, Sweet lime, Sapota, Papaya, Pomegranate, Pineapple, Cashew
- Spices: Garlic, Ginger, Turmeric, Cardamom

Fodder Crops

- Sorghum (Fodder Maize): JS-SF-3
- Cowpea (Fodder): MF-09-01, MF-08-14, 2-09-03
- Napier-Bajra Hybrid Grass: PBN-342

Weather-Based Crop Stage Advisory (Kodagu Region)					
Crop	Stage	Advisory			
Coffee	Berry formation	Ensure drainage to prevent berry drop and root rot; monitor for			
		fungal diseases due to high humidity; avoid foliar sprays during			
		heavy rain.			
Pepper	Vegetative /	Provide staking/support to vines; ensure good drainage; monitor for			
	Climbing	fungal leaf spots; delay fertilizer application during intense rain periods.			
Cardamom	Vegetative	Improve shade and drainage; avoid water stagnation; prevent fungal			
	_	diseases with prophylactic sprays during dry intervals.			
Paddy	Vegetative /	Maintain water level (2–3 cm); ensure drainage during heavy rain;			
	Tillering	apply top dressing fertilizer in rain-free intervals; monitor for			
		pest/disease buildup.			
Vegetables	Flowering /	Protect from fruit rot and blight with fungicide sprays during dry			
	Fruiting	spells; harvest mature fruits before heavy rainfall; avoid excess			
		irrigation.			
Ginger	Vegetative /	Ensure raised beds are not waterlogged; apply fungicides to prevent			
	Rhizome	rhizome rot; provide shade if wind damage risk is high.			
	development				
Arecanut	Vegetative	Provide support to young palms; avoid basin flooding; spray			
		preventive fungicides if leaf spot appears; clean fallen fronds			
	T	regularly.			
Banana	Vegetative /	Provide strong propping to prevent lodging; maintain drainage;			
	Bunch	apply potash-rich fertilizer after heavy rains to support bunch			
	development	development.			

Sector	Advisory
Livestock	- Provide clean, dry shelter to protect from rain and wind.
	- Maintain hygiene to prevent hoof and skin infections.
	- Ensure adequate clean water and balanced nutrition.
Poultry	- Keep sheds well-ventilated but protected from rain and gusty winds.
	- Maintain dry litter to avoid disease.
	- Provide vitamin supplements to boost immunity.

Block level weather forecast (From 13-08-2025 to 17-08-2025)						
Madikeri						
Parameter	13.08.2025	14.08.2025	15.08.2025	16.08.2025	17.08.2025	
Rainfall (mm)	7.3	9	8.8	16.2	12.2	
Max. temp (°C)	23.2	20	20.9	20.7	21.1	
Min.Temp (°C)	18.8	18.2	18.2	18.1	18.5	
Sky condition (Octas)	8	8	8	8	7	
Relative humidity (%) 0830 hours	97.5	97.9	98	97.9	98.2	
Relative humidity (%) 1730 hours	76.6	93.4	85.2	90.8	86.8	
Wind Speed (kmph)	5.8	6.8	7.4	6.6	7.2	
Wind Direction	262.9	244.8	247.2	240.6	243.4	

Somvarpet						
Parameter	13.08.2025	14.08.2025	15.08.2025	16.08.2025	17.08.2025	
Rainfall (mm)	7.7	12.1	19.1	24.8	25.7	
Max. temp (°C)	22.1	19.7	20.2	19.9	20.1	
Min.Temp (°C)	18.5	17.9	18	18	18.4	
Sky condition (Octas)	8	8	8	8	8	
Relative humidity (%) 0830 hours	97.9	98.4	98.2	98.2	98.2	
Relative humidity (%) 1730 hours	80.2	92.2	88.8	92.6	91.3	
Wind Speed (kmph)	7.2	8.3	10.1	8.3	9.7	
Wind Direction	275.7	272.5	272	265	360	

Virajpet						
Parameter	13.08.2025	14.08.2025	15.08.2025	16.08.2025	17.08.2025	
Rainfall (mm)	5.6	9.1	6.4	16.8	9.2	
Max. temp (°C)	24.2	22	23.1	23	23.2	
Min.Temp (°C)	20.2	19.9	19.8	19.8	19.9	
Sky condition (Octas)	8	8	8	7	7	
Relative humidity (%) 0830 hours	99.2	97.6	98.4	96.9	98.6	
Relative humidity (%) 1730 hours	82.6	91.7	81.2	86.6	84.6	
Wind Speed (kmph)	3.6	4.1	4.6	3.9	4.9	
Wind Direction	225	217.8	225	213.7	234	

- Download "DAMINI" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM"APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in


For any information farmers can contact **Dr.Umashankar Kumar**, **N.**, Senior Farm Superintendent/ **Dr. SumanthKumar.G.V**, Technical officer over phone No. 0821-259126/9535345814

AMFU of IMD,

Naganahalli, Mysuru

Realized Rainfall and Extended Range Forecast (वर्षाऔरतापमान)


(Rainfall and Temperature)






Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC- 30thJuly,2025) (01stto 14th August, 2025)






• Week1(01.08.2025 to 07.08.2025): Rainfall is likely to be above normal overmany parts of North West India, East India and Tamil Nadu. However, it is likely to be below normal over West India, coastal Karnataka, Telangana, many parts of Central India, Nagaland

Manipur Mizoram & Tripura, Coastal Andhra Pradesh and Odisha.

• Week 2 (08.08.2025 to 14.08.2025):Rainfall is likely to beabove normal over many parts of South India, East India, some parts of North East India, East Uttar Pradesh, Madhya Maharashtra, Haryana and adjoining parts of Rajasthan. However, it is likely to be below normal over Central India, Gujarat, Konkan-Goa, Jammu & Kashmir, Punjab, Himachal Pradesh and Uttarakhand.

Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC-30thJuly,2025) (01stto 14th August, 2025)





Maximum Temperature (Tmax)

- Week 1 (01.08.2025 to 07.08.2025): Maximum temperature is likely to be above normal over Odisha, Chhattisgarh, Karnataka, Madhya Maharashtra, some parts of Madhya Pradesh and Coastal Andhra Pradesh.
- Week 2 (08.08.2025 to 14.08.2025): Maximum temperature is likely to be above normal over Central India, West India, Karnataka, Himachal Pradesh, parts of Telangana and Coastal Andhra Pradesh.

MME forecast Tmin anomaly (Deg C) (Week1: 01Aug-07Aug) (Week2: 08Aug-14Aug) 35N 35N 30N 30N 25N 25N 20N 20N 15N 15N 10N 10N 5N 91E

Minimum Temperature (Tmin)

- Week 1 (01.08.2025 to 07.08.2025): Minimum temperature is likely to be above normal over Karnataka, Chhattisgarh and Himachal Pradesh.
- Week 2 (08.08.2025 to 14.08.2025): Minimum temperature is likely to be above normal over many parts of Central India, North West India, Maharashtra and Karnataka.

