

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date:12-09-2025

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	09.09.2025	10.09.2025	11.09.2025	12.09.2025
Rainfall (mm)	0	0	0	0
Max. Temp. (°C)	30.4	31.2	30.8	30.1
Min. Temp. (°C)	20	23.3	21.7	21.6
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	97	97	97	98
Relative humidity (%) 1730 hours	52	51	58	59
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 13-09-2025 to 17-09-2025)

Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	5	3	4	15	18
Max. temp (°C)	30	31	30	31	30
Min.Temp (°C)	22	22	21	22	23
Sky condition (Octas)	7	7	7	6	7
Relative humidity (%) 0830 hours	98	90	91	93	93
Relative humidity (%) 1730 hours	67	65	60	62	58
Wind Speed (km/h)	6	8	10	10	10
Wind Direction	275	259	254	254	256

Forecast Summary

As forecast received from IMD, cloudy sky with **light to moderate rainfall** may be expected from **13.09.2025 to 17.09.2025** in Mandya district. The day temperature is expected to be 30-31°C & night temperature is expected to be 21-23°C. The relative humidity in the morning hours is expected to be 90-98% & afternoon relative humidity is expected to be in the range of 58-67% Wind speed expected to be 06-10 km/ hr.

General Advisory:**Field Crops**

- Provide drainage in paddy and vegetable fields to avoid waterlogging.
- Take up neem oil/botanical sprays in ragi and pulses for sucking pests during dry weather.
- Avoid intercultural operations when soil is too wet.

Vegetables & Horticulture

- Stake/support tomato, chilli, and creepers against lodging due to winds.
- Watch for fruit rot and leaf blight in vegetables under humid conditions.

Livestock & Poultry

- Give dry fodder and provide shelter to animals in evening humidity.
- Maintain hygiene in sheds to prevent infections.

Water Conservation

- Harvest and store rainwater in farm ponds for rabi crops.

SMS Advisory:

Drain excess water in paddy/veg, spray neem oil in pulses & ragi if no rain, stake tomato/chilli, give shelter & dry fodder to livestock.

Crops and Suitable Varieties for Sowing in September

- **Finger Millet:** ML-322, Indaf-7, Indaf-9, KMR-301, GPU-45
- **Sorghum (3-4th week):** M-35-1, Maduti (5-4-1), PSH-10
- **Sorghum varieties:** Hema, Nityashree, MH-14-5, MH-14-138
- **Popcorn:** Amber
- **Cowpea:** TVS-944-02-I, KBC-1, KBC-2, KM-9, KM-5, KM-12, KC-8 (KBC-11), PGP-6
- **Horse Gram:** PHG-9, KBH-1
- **Sunflower:** KBSH-41, KBSH-90, KBSH-44, KBSH-53, KBSH-78, KBSH-85
- **Soybean (Irrigated):** MUS-2 (Pooja), Karune (Vegetable soybean), KBS-23
- **Black gram:** KBN-1, No. 71, KBN-2
- **Sugarcane:** PES-8371 (Bheem), PES-99463 (Vishal), PES-0517 (Jaavabali), PES-18061, PES-16062
- **Horticultural crops:** Banana, Areca nut, Onion, Pineapple, Cabbage
- **Fodder crops:** Jowar: JESAT-3, Alasande: MFC-09-01, MFC-08-14, MFC-9-3
- **Bajra-Napier Grass:** PBN-342

Recommendations to the farmers:-**Weather based advisory**

Crop	Stage	Weather-Based Advisory
Paddy	Tillering	Maintain optimum water level (5 cm) in fields as light-moderate rainfall is expected. Apply top-dressing of nitrogen if not done. Monitor for leaf folder and blast; spray need-based fungicide.
Maize	Tasseling	Ensure proper soil moisture during tasseling stage, as even slight water stress affects yield. Avoid spraying pesticides during flowering. Monitor for stem borer and fall armyworm.
Tomato	Fruit formation	Rainfall and high humidity may cause fruit rot and late blight. Ensure staking and drainage. Spray protective fungicides like copper oxychloride or mancozeb. Avoid excess nitrogen

		application.
Banana	Fruit development	Provide staking/support to prevent lodging due to winds (8–10 kmph). Maintain proper drainage to avoid waterlogging. Apply potash for better fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Pod filling	Maintain adequate soil moisture with light irrigation if rainfall is insufficient. Avoid pesticide sprays during flowering–pod formation to protect pollinators. Monitor for pod borers.
Sugarcane	Vegetative	Maintain good drainage as intermittent rainfall is expected. Provide earthing-up to support canes. Apply recommended dose of nitrogen if pending. Watch for borers and smut incidence.
Vegetable crops (general)	Various stages	Provide drainage to avoid waterlogging. Monitor for sucking pests and fungal diseases due to high humidity. Spray neem-based formulations or need-based pesticides. Harvest matured vegetables during dry hours.

Sector	Advisory
Livestock	- Provide clean, dry shelter to protect from rain and wind. - Maintain hygiene to prevent hoof and skin infections. - Ensure adequate clean water and balanced nutrition.
Poultry	- Keep sheds well-ventilated but protected from rain and gusty winds. - Maintain dry litter to avoid disease. - Provide vitamin supplements to boost immunity.
Sericulture	- Maintain optimum temperature and humidity in rearing houses. - Ensure mulberry leaves are not wet during feeding. - Improve ventilation to prevent fungal diseases in silkworms.

Block level weather forecast (From 13-09-2025 to 17-09-2025)					
Krishnarajpet					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	1.9	1.1	0.7	3.4	5.5
Max. temp (°C)	29.1	28.9	28.5	28.4	27.9
Min.Temp (°C)	20.2	19.7	19.6	19.4	19.9
Sky condition (Octas)	7	8	7	6	7
Relative humidity (%) 0830 hours	90.8	92.1	91.8	92.1	92.6
Relative humidity (%) 1730 hours	57.3	62.7	64.8	67.2	65.6
Wind Speed (kmph)	7.3	7.6	9.1	9.2	8
Wind Direction	290.2	261.9	251.6	249.4	262.2

Maddur					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	4.6	1.5	0.8	6.4	9.6
Max. temp (°C)	29.4	29.9	29.8	29.6	29
Min.Temp (°C)	21.4	20.8	20.5	20.7	20.7
Sky condition (Octas)	7	8	6	7	7
Relative humidity (%) 0830 hours	91.9	91.2	91.9	92.6	92.6
Relative humidity (%) 1730 hours	55.2	58.8	58.5	58.2	58.5
Wind Speed (kmph)	6.1	6.8	8.4	8.9	7.8
Wind Direction	273.4	251.6	250	243.4	256.6

Malvalli					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	4.1	0.7	0.6	4.9	7.6
Max. temp (°C)	29.9	30.2	30.2	30.1	29.5
Min.Temp (°C)	21.5	20.9	20.7	20.6	20.7
Sky condition (Octas)	7	8	6	7	7
Relative humidity (%) 0830 hours	90.3	91.2	91.1	90.9	92.1
Relative humidity (%) 1730 hours	50	55.4	55.8	54.3	55
Wind Speed (kmph)	6.6	8.1	9.1	9.5	9
Wind Direction	257.5	249.1	251.6	245.4	253.7

Mandya					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	4.7	1.4	0.7	4.2	7.5
Max. temp (°C)	29.4	29.4	29.5	29.1	28.9
Min.Temp (°C)	21.1	20.4	20.2	20.4	20.4
Sky condition (Octas)	7	8	6	7	7
Relative humidity (%) 0830 hours	90.5	91.7	91	91.6	92.7
Relative humidity (%) 1730 hours	52.8	59.6	59.9	59	58.2
Wind Speed (kmph)	7.3	8.6	9.8	9.8	8.9
Wind Direction	281.3	255.4	252.9	246.2	256

Nagamangala					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	3.8	2	0.7	5.1	8.4

Max. temp (°C)	28.4	28.6	28.7	28.2	28
Min.Temp (°C)	20.6	20.1	19.7	20.0	20
Sky condition (Octas)	7	8	7	6	7
Relative humidity (%) 0830 hours	90.8	91.1	90	91.2	92
Relative humidity (%) 1730 hours	61.1	65	64.5	66	63.7
Wind Speed (kmph)	7.6	9	10	10.8	10.1
Wind Direction	295.4	265.4	255.5	254.6	263.9

Pandavapura					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	3.2	1.6	0.7	3.7	7.1
Max. temp (°C)	29.2	29.4	29.2	28.9	28.6
Min.Temp (°C)	20.9	20.2	20.1	20.4	20.2
Sky condition (Octas)	7	8	6	7	7
Relative humidity (%) 0830 hours	91.2	91.7	91.6	91.3	92.5
Relative humidity (%) 1730 hours	56.2	60.8	61.9	63.6	60.9
Wind Speed (kmph)	7.3	8.6	10.1	10.3	8.9
Wind Direction	278.5	255.4	253.5	245.2	256


Shrirangapatna					
Parameter	13.09.2025	14.09.2025	15.09.2025	16.09.2025	17.09.2025
Rainfall (mm)	3.3	0.7	0.7	3.7	6.8
Max. temp (°C)	29.8	29.9	29.5	29.1	28.8
Min.Temp (°C)	20.9	20.2	20.2	20.2	20.2
Sky condition (Octas)	7	8	6	7	7
Relative humidity (%) 0830 hours	91.1	91.5	91.7	91.1	92.5
Relative humidity (%) 1730 hours	53.4	59.1	61.4	62.3	58.5
Wind Speed (kmph)	6.8	8.9	10.1	10.6	9.8
Wind Direction	273	256	253.5	246	252.9


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.Umashankar Kumar**, N. Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru


वास्तविक वर्षातथाविस्तारितअवधिपूर्वानुमान
Realized Rainfall and Extended Range Forecast
 (वर्षाऔरतापमान)
 (Rainfall and Temperature)





- **Week1(12.09.2025 to 18.09.2025):** Rainfall is likely to be above normal over North East India, Sub Himalayan West Bengal & Sikkim, Bihar, Maharashtra, Karnataka, Andhra Pradesh, Telangana and Tamil Nadu.
- **Week 2 (19.09.2025 to 25.09.2025):** Rainfall is likely to be above normal over Madhya Pradesh, East Rajasthan, Haryana, West Uttar Pradesh, some parts of Bihar, Gujarat, Maharashtra, Karnataka, Telangana, Andhra Pradesh and Tamil Nadu.

**Maximum and Minimum temperature anomaly ($^{\circ}$ C) forecast
for the next 2 weeks (IC- 10th September, 2025)
(12th to 25th September, 2025)**




Maximum Temperature (Tmax)

- **Week 1 (12.09.2025 to 18.09.2025):** Maximum temperature is likely to be above normal over Madhya Pradesh, Uttar Pradesh, Chhattisgarh and Odisha.
- **Week 2 (19.09.2025 to 25.09.2025):** Maximum temperature is likely to be below normal over most parts of country except some parts of South Karnataka, Chhattisgarh and Bihar.

MME forecast Tmin anomaly (Deg C)

(Week1: 12Sep–18Sep)

(Week2: 19Sep–25Sep)



Minimum Temperature (Tmin)

- **Week 1 (12.09.2025 to 18.09.2025):** Minimum temperature is likely to be above normal over most parts of North West India, Central India, Maharashtra and Karnataka.
- **Week 2 (19.09.2025 to 25.09.2025):** Minimum temperature is likely to be above normal over South Karnataka, Gujarat, Madhya Maharashtra, many parts of Madhya Pradesh, East Uttar Pradesh, Bihar and Uttarakhand.