

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &  
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA  
AMFU, OFRS, NAGANAHALLI,  
MYSURU – 570003**



Date:28.10.2025

**AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT**

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

**Past Weather Data**

<b>Parameter</b>	<b>25.09.2025</b>	<b>26.10.2025</b>	<b>27.10.2025</b>	<b>28.10.2025</b>
<b>Rainfall (mm)</b>	0	0	0	0
<b>Max. Temp. (°C)</b>	28	29.6	30	29.8
<b>Min. Temp. (°C)</b>	19	19	19	21
<b>Sky condition (Octas)</b>	4	6	8	8
<b>Relative humidity (%) 0830 hours</b>	69	69	90	85
<b>Relative humidity (%) 1730 hours</b>	77	73	-	72
<b>Wind Speed (km/h)</b>	2	0	4	2
<b>Wind Direction</b>	270	0	270	230

**Weather forecast for the next five days (From 29-10-2025 to 02-11-2025)**

<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	6	0	0	0	0
<b>Max. temp (°C)</b>	30	30	31	31	31
<b>Min.Temp (°C)</b>	21	21	21	22	22
<b>Sky condition (Octas)</b>	7	5	5	6	5
<b>Relative humidity (%) 08:30 hours</b>	84	84	84	86	79
<b>Relative humidity (%) 17:30 hours</b>	70	71	72	71	72
<b>Wind Speed (kmph)</b>	8	8	6	6	4
<b>Wind Direction</b>	242	228	229	241	257

**Forecast Summary**

As forecast received from IMD, partially cloudy sky with **light rainfall** may be expected from **29.10.2025 to 02.11.2025** in Mysuru district. The day temperature is expected to be 30-31°C & night temperature is expected 21-22°C. The relative humidity in the morning hours is expected to be 79-86% & afternoon relative humidity is expected to be in the range of 70-72% Wind speed expected to be 4-8 km/hr.

### General Advisory:

#### Field Crops

- Provide drainage in paddy and vegetable fields to avoid waterlogging.
- Take up neem oil/botanical sprays in ragi and pulses for sucking pests during dry weather.
- Avoid intercultural operations when soil is too wet.

#### Vegetables & Horticulture

- Stake/support tomato, chilli, and creepers against lodging due to winds.
- Watch for fruit rot and leaf blight in vegetables under humid conditions.

#### Livestock & Poultry

- Give dry fodder and provide shelter to animals in evening humidity.
- Maintain hygiene in sheds to prevent infections.

#### Water Conservation

- Harvest and store rainwater in farm ponds for rabi crops.

### SMS Advisory:

Drain excess water in paddy/veg, spray neem oil in pulses & ragi if no rain, stake tomato/chilli, give shelter & dry fodder to livestock.

### Crops and Suitable Varieties for Sowing in October

- **Ragi (Finger Millet):** Indaf-7, Indaf-9, KMR-301, GPU-45
- **Rabi Sorghum (1st–2nd week):** M-35-1, Mooguti (5-4-1), CSH-10
- **Kharif Sorghum (Rainy Season):** Heva, Nityashree, MAH-14-5, MAH-14-138, MAH-15-84
- **Popcorn:** Amber
- **Field Bean (Avare):** HA-3, HA-4, HA-5
- **Groundnut (3rd–4th week):** Annigeri-1, JG-11, Vishal, KAK-2
- **Sunflower:** KBSH-41, 90, 44, 53, 78, 85
- **Soybean (Irrigated):** MAUS-2 (Pooja), Karune (Vegetable Soybean), KBS-23
- **Sesame (Huchellu):** KBN-1, No.71, KBN-2
- **Safflower:** Annigeri-1, NARI-6, A-2
- **Sugarcane:** Co-62175, Co-86032, Co-8371 (Bheema), CoVC-99463 (Vishal), VCF-0517 (Baahubali), CoVC-18061, CoVC-16062
- **Horticultural Crops:** Grapes, Banana, Arecanut, Garlic, Peas, Carrot, Tomato, Potato, Brinjal, Chilli, Cauliflower, Radish, Knol-khol (Kohlrabi), Cabbage
- **Fodder Crops:** Maize: JCET-3
- **Cowpea:** MFC-09-01, MFC-09-03, MFC-08-14
- **Oats (Fodder Wheat):** OS-6, RO 11-1
- **Bajra–Napier Hybrid Grass:** PBN-342

### Recommendations to the farmers:-

#### Weather based advisory

Crop	Stage	Weather-Based Advisory
------	-------	------------------------

<b>Paddy</b>	Tillering to panicle initiation stage	Maintain optimum water level (5 cm) in fields as light–moderate rainfall is expected. Apply top-dressing of nitrogen if not done. Monitor for leaf folder and blast; spray need-based fungicide.
<b>Maize</b>	Cob formation stage	Ensure proper soil moisture during tasseling stage, as even slight water stress affects yield. Avoid spraying pesticides during flowering. Monitor for stem borer and fall armyworm.
<b>Tomato</b>	Fruit formation	Rainfall and high humidity may cause fruit rot and late blight. Ensure staking and drainage. Spray protective fungicides like copper oxychloride or mancozeb. Avoid excess nitrogen application.
<b>Banana</b>	Fruit development	Provide staking/support to prevent lodging due to winds (8–10 kmph). Maintain proper drainage to avoid waterlogging. Apply potash for better fruit quality.
<b>Black gram, Green gram, Red gram, Field bean, Cowpea</b>	Pod filling	Maintain adequate soil moisture with light irrigation if rainfall is insufficient. Avoid pesticide sprays during flowering–pod formation to protect pollinators. Monitor for pod borers.
<b>Sugarcane</b>	Vegetative	Maintain good drainage as intermittent rainfall is expected. Provide earthing-up to support canes. Apply recommended dose of nitrogen if pending. Watch for borers and smut incidence.
<b>Vegetable crops (general)</b>	Various stages	Provide drainage to avoid waterlogging. Monitor for sucking pests and fungal diseases due to high humidity. Spray neem-based formulations or need-based pesticides. Harvest matured vegetables during dry hours.

<b>Sector</b>	<b>Advisory</b>
<b>Livestock</b>	<ul style="list-style-type: none"> <li>- Provide clean, dry shelter to protect from rain and wind.</li> <li>- Maintain hygiene to prevent hoof and skin infections.</li> <li>- Ensure adequate clean water and balanced nutrition.</li> </ul>
<b>Poultry</b>	<ul style="list-style-type: none"> <li>- Keep sheds well-ventilated but protected from rain and gusty winds.</li> <li>- Maintain dry litter to avoid disease.</li> <li>- Provide vitamin supplements to boost immunity.</li> </ul>
<b>Sericulture</b>	<ul style="list-style-type: none"> <li>- Maintain optimum temperature and humidity in rearing houses.</li> <li>- Ensure mulberry leaves are not wet during feeding.</li> <li>- Improve ventilation to prevent fungal diseases in silkworms.</li> </ul>

### Block level weather forecast

<b>H.D. Kote</b>					
<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.7	0	0	0	0
<b>Max. temp (°C)</b>	24.9	26.2	27.4	28.2	28.4
<b>Min.Temp (°C)</b>	19.8	19	18.8	17.9	17.2
<b>Sky condition (Octas)</b>	8	4	4	4	4

<b>Relative humidity (%) 0830 hours</b>	91.6	91.4	90.8	91.1	90.5
<b>Relative humidity (%) 1730 hours</b>	64	57.9	55.2	48.3	43.4
<b>Wind Speed (kmph)</b>	10.4	8.7	6.6	4.2	3.5
<b>Wind Direction</b>	236.3	221.6	229.4	239	246

<b>Hunsuru</b>					
<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.6	0	0	0	0
<b>Max. temp (°C)</b>	25	26.1	27.2	27.9	28.1
<b>Min.Temp (°C)</b>	19.5	18.7	18.5	17.7	17.1
<b>Sky condition (Octas)</b>	8	5	4	5	4
<b>Relative humidity (%) 0830 hours</b>	93.7	92	92.1	92.8	90.2
<b>Relative humidity (%) 1730 hours</b>	66	60.6	55.8	50.7	45.9
<b>Wind Speed (kmph)</b>	10.8	9.2	7.4	5.4	5.4
<b>Wind Direction</b>	244.3	225	230.9	250.3	360

<b>K.R. Nagara</b>					
<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.4	0	0	0	0
<b>Max. temp (°C)</b>	25.2	26.2	27.2	27.9	28.2
<b>Min.Temp (°C)</b>	19.5	18.7	18.6	17.9	17.1
<b>Sky condition (Octas)</b>	8	4	4	5	4
<b>Relative humidity (%) 0830 hours</b>	93.8	93.5	92.5	93.1	89.6
<b>Relative humidity (%) 1730 hours</b>	65.9	60.9	55.9	51.5	45.6
<b>Wind Speed (kmph)</b>	10	9.2	8.2	5	5.4
<b>Wind Direction</b>	244.3	221.8	228.6	249	277.6

<b>Mysuru</b>					
<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.4	0	0	0	0
<b>Max. temp (°C)</b>	25.6	27.1	28.1	28.8	29
<b>Min.Temp (°C)</b>	19.8	18.9	18.8	18	17.6
<b>Sky condition (Octas)</b>	7	4	4	5	5

<b>Relative humidity (%) 0830 hours</b>	91.8	95.3	92	92.8	94.4
<b>Relative humidity (%) 1730 hours</b>	62.6	56.6	54.9	46.2	42.9
<b>Wind Speed (kmph)</b>	10.6	10.2	8	5.5	4.3
<b>Wind Direction</b>	246	230.7	243.4	258.7	265.2

### Nanjanagudu

<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.6	0	0	0	0
<b>Max. temp (°C)</b>	25.7	27.8	28.8	29.6	29.2
<b>Min.Temp (°C)</b>	20.1	19.2	18.9	18.2	18.1
<b>Sky condition (Octas)</b>	7	3	3	4	2
<b>Relative humidity (%) 0830 hours</b>	89.1	90.8	88.8	89.4	92.1
<b>Relative humidity (%) 1730 hours</b>	60.6	53.9	52	43.2	40.2
<b>Wind Speed (kmph)</b>	12.6	10.2	6.4	4.7	4.3
<b>Wind Direction</b>	250	247.1	243.4	247.4	245.5

### Piriapatna

<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.8	0	0	0	0
<b>Max. temp (°C)</b>	23.9	24.8	25.9	26.6	26.8
<b>Min.Temp (°C)</b>	19	18.4	18.2	17.6	16.6
<b>Sky condition (Octas)</b>	8	6	5	5	4
<b>Relative humidity (%) 0830 hours</b>	95.2	92.5	92.8	92.2	89
<b>Relative humidity (%) 1730 hours</b>	69	63.6	57.9	53.7	50
<b>Wind Speed (kmph)</b>	10	9.2	6.4	4.2	4.7
<b>Wind Direction</b>	244.3	228.2	231.8	250	274.4

### T. Narasipura

<b>Parameter</b>	<b>29.10.2025</b>	<b>30.10.2025</b>	<b>31.10.2025</b>	<b>01.11.2025</b>	<b>02.11.2025</b>
<b>Rainfall (mm)</b>	0.2	0	0	0	0
<b>Max. temp (°C)</b>	26.1	28.1	29.1	29.8	29.6
<b>Min.Temp (°C)</b>	20.1	19.4	18.8	18.2	18.1
<b>Sky condition (Octas)</b>	7	4	4	4	4
<b>Relative humidity (%) 0830 hours</b>	86.6	90	90	91.2	92


<b>Relative humidity (%) 1730 hours</b>	62	54.8	53.3	42.3	42.3
<b>Wind Speed (kmph)</b>	10.7	10.5	7	4.8	4.3
<b>Wind Direction</b>	250.3	243.4	248.7	243.4	245.5

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: [mausam.imd.gov.in](http://mausam.imd.gov.in)

For any information farmers can contact **Dr. Umashankar Kumar, N.,** Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V,** Technical officer over phone No.0821-259126/ 9535345814.


**AMFU of IMD,  
Naganahalli, Mysuru**

वास्तविक वर्षातथाविस्तारितअवधिपूर्वानुमान  
वास्तविकवर्षातथाविस्तारितअवधिपूर्वानुमान  
**Realized Rainfall and Extended Range Forecast**  
(वर्षाऔरतापमान)  
(Rainfall and Temperature)




## Extended Range Forecast System

### Rainfall forecast maps for the next 2 weeks (IC-22<sup>nd</sup>October,2025) (24<sup>th</sup>October to 06<sup>th</sup> November, 2025)



- **Week 1(24.10.2025 to 30.10.2025):** Rainfall is likely to be above normal over West coast, West India, Central India, Karnataka, Andhra Pradesh, Telangana, many parts of East India and Nagaland, Manipur, Mizoram & Tripura region.
- **Week 2 (31.10.2025 to 06.11.2025):** Rainfall is likely to be above normal over North East India, Gujarat and Gangetic West Bengal.

### Maximum and Minimum temperature anomaly ( °C) for the next 2 weeks (IC- 22<sup>nd</sup>October,2025) (24<sup>th</sup> October to 06<sup>th</sup> November, 2025)




- **Week 1 (24.10.2025 to 30.10.2025):**Maximum temperature is likely to be above normal

over many parts of North West India, East India, Chhattisgarh and Assam.

- **Week 2 (31.10.2025 to 06.11.2025):** Maximum temperature is likely to be above normal over many parts of North West India, Bihar, Chhattisgarh, Coastal Andhra Pradesh, Tamil Nadu and South Karnataka.

### MME forecast Tmin anomaly (Deg C)



### Minimum Temperature (Tmin)

- **Week 1 (24.10.2025 to 30.10.2025):** Minimum temperature is likely to be above normal over Central India, North East India, Maharashtra, Karnataka, Telangana, Rayalaseema, Uttar Pradesh, Uttarakhand, Bihar, Jharkhand, Gangetic West Bengal and some parts of Odisha.
- **Week 2 (31.10.2025 to 06.11.2025):** Minimum temperature is likely to be below normal over many parts of North West India. However, it is likely to be above normal over North East India, Bihar, East Uttar Pradesh, South Karnataka, Himachal Pradesh, Uttarakhand and some parts of Jammu & Kashmir.