

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date:25-11-2025

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	22.11.2025	23.11.2025	24.11.2025	25.11.2025
Rainfall (mm)	0	0	0	0
Max. Temp. (°C)	29.1	28.1	28.1	27.2
Min. Temp. (°C)	20.5	20.4	19.5	17.6
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	95	95	98	95
Relative humidity (%) 1730 hours	59	65	61	60
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 26-11-2025 to 30-11-2025)

Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	31	29	30	29	30
Min.Temp (°C)	18	19	18	19	18
Sky condition (Octas)	1	1	4	4	4
Relative humidity (%) 0830 hours	70	72	71	70	72
Relative humidity (%) 1730 hours	50	55	56	54	56
Wind Speed (km/h)	2	4	6	4	6
Wind Direction	74	73	69	78	28

Forecast Summary

As forecast received from IMD, cloudy sky with **no rainfall** may be expected from **26.11.2025 to 30.11.2025** in Mandya district. The day temperature is expected to be 29-30°C & night temperature is expected to be 18-19°C. The relative humidity in the morning hours is expected to be 70-72% & afternoon relative humidity is expected to be in the range of 50-56% Wind speed expected to be 2-6 km/ hr.

General Advisory:

Cold Morning Precautions

- Low morning temperatures may cause cold stress to crops and livestock.
- Provide **light evening irrigation** to maintain soil warmth in vegetable fields.
- **Cover nurseries and young seedlings** (tomato, chilli, cabbage) with dry grass or plastic sheets during night.

Irrigation Management

- Since no rain is expected, **irrigate crops once in 5–7 days**.
- Avoid excess irrigation as humidity is moderate.
- Prioritize irrigation for paddy (milking stage), ragi, red gram, and vegetable crops.

Crop Management

- Favorable weather for **weeding, earthing-up, and fertilizer or pesticide application**.
- Dry and sunny weather is ideal for **harvesting and drying of grains, turmeric, ginger, and pulses**.
- **Collect and sun-dry produce** to avoid post-harvest losses.

Horticultural Crops

- **Mulching** around basins of banana, coconut, and arecanut helps conserve soil moisture.
- Provide **regular irrigation** to fruit crops like banana, papaya, and sapota.
- Prune unwanted shoots to improve air circulation.

Livestock and Poultry

- Provide **warm and dry shelters** during night and early morning.
- Avoid cold winds entering animal sheds.
- Supply **clean drinking water and dry fodder** regularly.
- For poultry, use **curtains or gunny bags** around sheds to reduce cold air entry.

Sericulture

- Maintain **optimum room temperature and humidity** in rearing houses.
- Avoid exposure of silkworms to cold morning air.
- Ensure **adequate ventilation** during daytime.

SMS Advisory:

Dry weather expected; no rainfall. Morning temperature remains low (18–19°C). To protect vegetable nurseries from cold, give light irrigation in the evening and cover with dry grass or plastic sheets at night. Provide irrigation to field crops, banana, coconut, and arecanut. Keep livestock in warm shelters and cover poultry sheds to prevent cold air entry.

Crops and Suitable Varieties for Sowing in November

- **Ragi (Finger Millet):** GPU-45
- **Maize:** MAH-15-84
- **Groundnut (1st–2nd week):** Annigeri-1, JG-11, Vishal, KAK-2
- **Soybean (Irrigated):** K.B-79, MAUS-2(Pooja), Karuna(Vegetable soyabean), KBS-23
- **Niger (In paddy fallows):** G.T-1, Navile-1(tunga), TMV-3, T-7, GKVKS-1
- **Safflower:** Annigeri-1, NARI-6, A-2
- **Sugarcane:** Co-62175, Co-86032, Co-8371 (Bheema), CoVC-99463 (Vishal), VCF-0517 (Baahubali), CoVC-18061, CoVC-16062
- **Horticultural Crops:** Garlic, Brinjal, tomato, potato, cabbage, cauliflower, chilli, Brinjal,

watermelon, carrot.

- **Fodder Crops:** Maize: JCET-3
- **Cowpea:** MFC-09-01, MFC-09-03, MFC-08-14
- **Oats (Fodder Wheat):** OS-6, RO 11-1
- **Bajra–Napier Hybrid Grass:** PBN-342

Recommendations to the farmers:-

Weather based advisory

Crop	Stage	Weather-Based Advisory
Paddy	Tillering to panicle initiation stage	Maintain optimum water level (5 cm) in fields as light–moderate rainfall is expected. Apply top-dressing of nitrogen if not done. Monitor for leaf folder and blast; spray need-based fungicide.
Maize	Cob formation stage	Ensure proper soil moisture during tasseling stage, as even slight water stress affects yield. Avoid spraying pesticides during flowering. Monitor for stem borer and fall armyworm.
Tomato	Fruit formation	Rainfall and high humidity may cause fruit rot and late blight. Ensure staking and drainage. Spray protective fungicides like copper oxychloride or mancozeb. Avoid excess nitrogen application.
Banana	Fruit development	Provide staking/support to prevent lodging due to winds (8–10 kmph). Maintain proper drainage to avoid waterlogging. Apply potash for better fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Pod filling	Maintain adequate soil moisture with light irrigation if rainfall is insufficient. Avoid pesticide sprays during flowering–pod formation to protect pollinators. Monitor for pod borers.
Sugarcane	Vegetative	Maintain good drainage as intermittent rainfall is expected. Provide earthing-up to support canes. Apply recommended dose of nitrogen if pending. Watch for borers and smut incidence.
Vegetable crops (general)	Various stages	Provide drainage to avoid waterlogging. Monitor for sucking pests and fungal diseases due to high humidity. Spray neem-based formulations or need-based pesticides. Harvest matured vegetables during dry hours.

Sector	Advisory
Livestock	<ul style="list-style-type: none"> - Provide clean, dry shelter to protect from rain and wind. - Maintain hygiene to prevent hoof and skin infections. - Ensure adequate clean water and balanced nutrition.
Poultry	<ul style="list-style-type: none"> - Keep sheds well-ventilated but protected from rain and gusty winds. - Maintain dry litter to avoid disease. - Provide vitamin supplements to boost immunity.
Sericulture	<ul style="list-style-type: none"> - Maintain optimum temperature and humidity in rearing houses. - Ensure mulberry leaves are not wet during feeding. - Improve ventilation to prevent fungal diseases in silkworms.

Block level weather forecast					
Krishnarajpet					
Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	26.7	26.4	26	26.1	26.2
Min.Temp (°C)	17.6	16.2	15.9	16.1	16.9
Sky condition (Octas)	3	2	5	5	5
Relative humidity (%) 0830 hours	94	91.2	90.6	91.5	83.1
Relative humidity (%) 1730 hours	48	44.6	46.1	45	42.8
Wind Speed (kmph)	13.8	12.3	12.4	10	9.4
Wind Direction	70.1	69.4	60.5	59.7	49.6

Maddur					
Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	27.8	27.5	27.1	27	27.2
Min.Temp (°C)	17.5	16.5	15.9	16.1	17.2
Sky condition (Octas)	3	3	5	5	5
Relative humidity (%) 0830 hours	95.4	92.1	92	92.4	83.3
Relative humidity (%) 1730 hours	48	45.4	46.2	46.2	42.2
Wind Speed (kmph)	7.7	9.3	8.7	7.2	7.2
Wind Direction	48.8	54.5	41.6	53.1	36.9

Malvalli					
Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	27.4	27.1	26.6	26.5	26.9
Min.Temp (°C)	17.9	16.8	16	16.2	17
Sky condition (Octas)	3	3	5	5	5
Relative humidity (%) 0830 hours	95	92.6	92.5	92.8	86.2
Relative humidity (%) 1730 hours	50.8	48.5	49	48.8	44.2
Wind Speed (kmph)	10	6.8	7.7	7.9	6.1
Wind Direction	37.7	58	48.8	50.5	40.2

Mandya

Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	27.2	26.9	26.6	26.7	26.7
Min.Temp (°C)	17.7	16.4	15.8	16.1	17.1
Sky condition (Octas)	3	3	5	5	5
Relative humidity (%) 0830 hours	94.6	91.8	92	92.4	84
Relative humidity (%) 1730 hours	48.5	46	46.1	45.2	43.1
Wind Speed (kmph)	9.9	11.2	10.2	9.2	8.2
Wind Direction	56.9	56.8	45	51.3	37.9

Nagamangala

Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	26.5	26.1	25.8	26	25.6
Min.Temp (°C)	16.9	15.8	15.2	15.6	16.5
Sky condition (Octas)	3	3	5	5	5
Relative humidity (%) 0830 hours	95.6	92.8	92.2	93.4	82.9
Relative humidity (%) 1730 hours	47.2	44.9	46.2	45.1	44.8
Wind Speed (kmph)	9.1	10	7.9	7.7	8.2
Wind Direction	71.6	75.5	65.8	62.2	37.9

Pandavapura

Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	27.1	27.2	26.2	25.8	26.9
Min.Temp (°C)	17.9	16.7	15.5	15.7	15.9
Sky condition (Octas)	1	1	4	4	4
Relative humidity (%) 0830 hours	95.8	94.4	97	96.8	87.3
Relative humidity (%) 1730 hours	50.2	44.8	48.8	48.8	34.9
Wind Speed (kmph)	11.6	10	10.5	10.2	9.8
Wind Direction	64.2	59.7	59	58	54

Shrirangapatna					
Parameter	26.11.2025	27.11.2025	28.11.2025	29.11.2025	30.11.2025
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	27.2	27.2	26.2	25.8	27
Min.Temp (°C)	17.9	16.8	15.7	15.8	15.9
Sky condition (Octas)	1	1	4	4	4
Relative humidity (%) 0830 hours	95.7	93.8	96.3	96.8	87.7
Relative humidity (%) 1730 hours	49.8	44.5	47.8	48.4	35
Wind Speed (kmph)	11.4	10	10.5	10.2	9.6
Wind Direction	61.8	59.7	59	58	55.7

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in



For any information farmers can contact **Dr.Umashankar Kumar**, N. Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru

वास्तविक
वास्तविक



वर्षातथाविस्तारितअवधिपूर्वानुमान
वर्षातथाविस्तारितअवधिपूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षाऔरतापमान)
(Rainfall and Temperature)

Realized Rainfall
(06th to 19th November, 2025)



Extended Range Forecast System


**Rainfall forecast maps for the next 2 weeks (IC-19thNovember,2025)
 (21stNovemberto 04thDecember, 2025)**



- **Week 1(21.11.2025 to 27.11.2025):** Rainfall is likely to be below normal over Kerala, Tamil Nadu and South Karnataka.
- **Week 2 (28.11.2025 to 04.12.2025):** Rainfall is likely to be above normal over Gangetic West Bengal, coastal regions of Odisha and Northern parts of Coastal Andhra Pradesh. However, it is likely to be below normal over Kerala, Tamil Nadu and some parts of South Karnataka.

**Maximum and Minimum temperature anomaly (°C) forecast
 for the next 2 weeks (IC- 19thNovember,2025)
 (21st November to 04th December, 2025)**


MME forecast Tmax anomaly (Deg C)



Maximum Temperature (Tmax)

- **Week 1 (21.11.2025 to 27.11.2025):**Maximum temperature is likely to be above normal over Jammu & Kashmir, Himachal Pradesh, West Rajasthan, Bihar, Arunachal Pradesh, Chhattisgarh, Odisha, Tamil Nadu, South Karnataka and some parts of East Uttar Pradesh. However, it is likely to be below normal over rest of the country.
- **Week 2 (28.11.2025 to 04.12.2025):**Maximum temperature is likely to be above normal over East India, North East India, Jammu & Kashmir, Himachal Pradesh, Uttarakhand, Chhattisgarh, Tamil Nadu and South Karnataka. However, it is likely to be below normal over rest of the country.

MME forecast Tmin anomaly (Deg C)



Minimum Temperature (Tmin)

- **Week 1 (21.11.2025 to 27.11.2025):**Minimum temperature is likely to be below normal over most parts of the country except Jammu & Kashmir and North East India.
- **Week 2 (28.11.2025 to 04.12.2025):** Minimum temperature is likely to be below normal over most parts of the country except North East India, Jammu & Kashmir, Himachal Pradesh, Uttarakhand and Gangetic West Bengal.