

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date:28-11-2025

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	25.11.2025	26.11.2025	27.11.2025	28.11.2025
Rainfall (mm)	-	0	0	0
Max. Temp. (°C)	-	27.6	28.1	26.4
Min. Temp. (°C)	-	17.6	16.1	15.4
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	95	95	95	95
Relative humidity (%) 1730 hours	59	54	52	48
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 29-11-2025 to 03-12-2025)

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	6	5	0	0
Max. temp (°C)	28	28	29	28	28
Min.Temp (°C)	17	17	16	16	17
Sky condition (Octas)	4	6	5	3	3
Relative humidity (%) 0830 hours	87	88	89	88	87
Relative humidity (%) 1730 hours	74	75	76	75	74
Wind Speed (km/h)	4	6	6	4	4
Wind Direction	34	31	22	8	16

Forecast Summary

As forecast received from IMD, cloudy sky with **light rainfall** may be expected from **29.11.2025 to 03.12.2025** in Mandya district. The day temperature is expected to be 28-29°C & night temperature is expected to be 16-17°C. The relative humidity in the morning hours is expected to be 88-89% & afternoon relative humidity is expected to be in the range of 74-76% Wind speed expected to be 4-6 km/ hr.

General Advisory:

Cold Morning Precautions

- Low morning temperatures may cause cold stress to crops and livestock.
- Provide **light evening irrigation** to maintain soil warmth in vegetable fields.
- **Cover nurseries and young seedlings** (tomato, chilli, cabbage) with dry grass or plastic sheets during night.

Irrigation Management

- Since no rain is expected, **irrigate crops once in 5–7 days**.
- Avoid excess irrigation as humidity is moderate.
- Prioritize irrigation for paddy (milking stage), ragi, red gram, and vegetable crops.

Crop Management

- Favorable weather for **weeding, earthing-up, and fertilizer or pesticide application**.
- Dry and sunny weather is ideal for **harvesting and drying of grains, turmeric, ginger, and pulses**.
- **Collect and sun-dry produce** to avoid post-harvest losses.

Horticultural Crops

- **Mulching** around basins of banana, coconut, and arecanut helps conserve soil moisture.
- Provide **regular irrigation** to fruit crops like banana, papaya, and sapota.
- Prune unwanted shoots to improve air circulation.

Livestock and Poultry

- Provide **warm and dry shelters** during night and early morning.
- Avoid cold winds entering animal sheds.
- Supply **clean drinking water and dry fodder** regularly.
- For poultry, use **curtains or gunny bags** around sheds to reduce cold air entry.

Sericulture

- Maintain **optimum room temperature and humidity** in rearing houses.
- Avoid exposure of silkworms to cold morning air.
- Ensure **adequate ventilation** during daytime.

SMS Advisory:

Dry weather expected; no rainfall. Morning temperature remains low (18–19°C). To protect vegetable nurseries from cold, give light irrigation in the evening and cover with dry grass or plastic sheets at night. Provide irrigation to field crops, banana, coconut, and arecanut. Keep livestock in warm shelters and cover poultry sheds to prevent cold air entry.

Crops and Suitable Varieties for Sowing in November

- **Ragi (Finger Millet):** GPU-45
- **Maize:** MAH-15-84
- **Groundnut (1st–2nd week):** Annigeri-1, JG-11, Vishal, KAK-2
- **Soybean (Irrigated):** K.B-79, MAUS-2(Pooja), Karuna(Vegetable soyabean), KBS-23
- **Niger (In paddy fallows):** G.T-1, Navile-1(tunga), TMV-3, T-7, GKVKS-1
- **Safflower:** Annigeri-1, NARI-6, A-2
- **Sugarcane:** Co-62175, Co-86032, Co-8371 (Bheema), CoVC-99463 (Vishal), VCF-0517 (Baahubali), CoVC-18061, CoVC-16062
- **Horticultural Crops:** Garlic, Brinjal, tomato, potato, cabbage, cauliflower, chilli, Brinjal,

watermelon, carrot.

- **Fodder Crops:** Maize: JCET-3
- **Cowpea:** MFC-09-01, MFC-09-03, MFC-08-14
- **Oats (Fodder Wheat):** OS-6, RO 11-1
- **Bajra–Napier Hybrid Grass:** PBN-342

Recommendations to the farmers:-

Weather based advisory

Crop	Stage	Weather-Based Advisory
Paddy	Tillering to panicle initiation stage	Maintain optimum water level (5 cm) in fields as light–moderate rainfall is expected. Apply top-dressing of nitrogen if not done. Monitor for leaf folder and blast; spray need-based fungicide.
Maize	Cob formation stage	Ensure proper soil moisture during tasseling stage, as even slight water stress affects yield. Avoid spraying pesticides during flowering. Monitor for stem borer and fall armyworm.
Tomato	Fruit formation	Rainfall and high humidity may cause fruit rot and late blight. Ensure staking and drainage. Spray protective fungicides like copper oxychloride or mancozeb. Avoid excess nitrogen application.
Banana	Fruit development	Provide staking/support to prevent lodging due to winds (8–10 kmph). Maintain proper drainage to avoid waterlogging. Apply potash for better fruit quality.
Black gram, Green gram, Red gram, Field bean, Cowpea	Pod filling	Maintain adequate soil moisture with light irrigation if rainfall is insufficient. Avoid pesticide sprays during flowering–pod formation to protect pollinators. Monitor for pod borers.
Sugarcane	Vegetative	Maintain good drainage as intermittent rainfall is expected. Provide earthing-up to support canes. Apply recommended dose of nitrogen if pending. Watch for borers and smut incidence.
Vegetable crops (general)	Various stages	Provide drainage to avoid waterlogging. Monitor for sucking pests and fungal diseases due to high humidity. Spray neem-based formulations or need-based pesticides. Harvest matured vegetables during dry hours.

Sector	Advisory
Livestock	<ul style="list-style-type: none"> - Provide clean, dry shelter to protect from rain and wind. - Maintain hygiene to prevent hoof and skin infections. - Ensure adequate clean water and balanced nutrition.
Poultry	<ul style="list-style-type: none"> - Keep sheds well-ventilated but protected from rain and gusty winds. - Maintain dry litter to avoid disease. - Provide vitamin supplements to boost immunity.
Sericulture	<ul style="list-style-type: none"> - Maintain optimum temperature and humidity in rearing houses. - Ensure mulberry leaves are not wet during feeding. - Improve ventilation to prevent fungal diseases in silkworms.

Block level weather forecast**Krishnarajpet**

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	3.6	3.3	0	0
Max. temp (°C)	25.1	24.9	25.2	26.2	27.6
Min.Temp (°C)	15.6	16.4	18.7	19	19.2
Sky condition (Octas)	5	5	5	5	4
Relative humidity (%) 0830 hours	87	89.9	92	92.2	90.6
Relative humidity (%) 1730 hours	51.3	59	64.3	62.4	56.6
Wind Speed (kmph)	9.2	10.9	8.2	12.1	6
Wind Direction	69.4	27.4	41.4	17.4	17.4

Maddur

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	9.7	4.1	0	0
Max. temp (°C)	26.4	25.1	25.5	27.6	27.4
Min.Temp (°C)	16	17.1	19.2	19.4	20
Sky condition (Octas)	5	5	5	5	3
Relative humidity (%) 0830 hours	89.1	91.8	93.3	93.5	90.2
Relative humidity (%) 1730 hours	49.9	61.4	67.4	59.8	61.8
Wind Speed (kmph)	3.9	9.7	5.2	5.8	6.8
Wind Direction	21.8	15.1	24.8	356.4	32

Malvalli

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	4.6	3.6	0	0
Max. temp (°C)	26.1	24.4	25.5	26.8	27.7
Min.Temp (°C)	16.1	17.1	19	19.5	19.8
Sky condition (Octas)	5	5	5	5	3
Relative humidity (%) 0830 hours	90.6	93.4	94.8	93.5	91.8
Relative humidity (%) 1730 hours	51.6	65.8	67.4	63.2	60.4
Wind Speed (kmph)	4.2	6.9	4.5	3.6	5.3
Wind Direction	31	6	28.6	354.3	28.3

Mandya

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	6.7	3.6	0	0
Max. temp (°C)	26	25.2	25.2	27.1	27.7
Min.Temp (°C)	15.8	16.9	19	19.2	19.7
Sky condition (Octas)	5	5	5	5	3
Relative humidity (%) 0830 hours	88.6	91.2	92.9	93	90.6
Relative humidity (%) 1730 hours	49.9	60.2	65.6	59.8	59.3
Wind Speed (kmph)	6.1	10.2	6.1	7.3	6.9
Wind Direction	45	8.1	28.1	11.3	27.9

Nagamangala

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	9.1	3.6	0	0
Max. temp (°C)	25	24	24.7	25.8	26.2
Min.Temp (°C)	15.2	16.2	18.6	18.7	18.9
Sky condition (Octas)	5	5	5	5	4
Relative humidity (%) 0830 hours	88.4	91.6	93.4	94.2	92.6
Relative humidity (%) 1730 hours	52.2	63.3	68.8	64.2	64
Wind Speed (kmph)	6.4	11.4	8.9	12.4	7.4
Wind Direction	51.8	18.4	26.6	10	29.1

Pandavapura

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	9.4	5.6	0	0
Max. temp (°C)	26.2	25.1	25.9	27.1	27.6
Min.Temp (°C)	15.6	16.2	18.7	19.2	19.2
Sky condition (Octas)	4	3	3	3	3
Relative humidity (%) 0830 hours	90	92.2	95.6	95.1	94.8
Relative humidity (%) 1730 hours	47.7	63	66.3	63.8	59.5
Wind Speed (kmph)	6	12.1	7.7	9.3	7.9
Wind Direction	57.3	12	37.4	27.6	39.5

Shrirangapatna

Parameter	29.11.2025	30.11.2025	01.12.2025	02.12.2025	03.12.2025
Rainfall (mm)	0	8.6	5.4	0	0
Max. temp (°C)	26.4	24.9	26	27	27.8
Min.Temp (°C)	15.5	16.2	18.5	19.1	19.2
Sky condition (Octas)	4	3	3	3	3
Relative humidity (%) 0830 hours	89.4	92.2	96.2	95.2	94.9
Relative humidity (%) 1730 hours	46.8	63.4	66.1	63.2	58.3
Wind Speed (kmph)	6.3	11.7	7.1	8.7	7.9
Wind Direction	59	10.6	40.9	29.7	39.5

- Download “DAMINI” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “MAUSAM” APP for location specific forecast & warning & “MEGHDOOT” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.Umashankar Kumar**, N. Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru

वास्तविकवर्षातथाविस्तारितअवधिपूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षाऔरतापमान)
(Rainfall and Temperature)


Realized Rainfall

(13th to 26th November, 2025)



भारत मौसम विज्ञान विभाग
India Meteorological Department
जल मौसम विज्ञान प्रभाग, नई दिल्ली
Hydromet Division, New Delhi
SUBDIVISION RAINFALL MAP

Week: 13-11-2025 to 19-11-2025



Legend

Large Excess (80% or more) Excess (20% to 80%) Normal (19% to 19%) Deficient (69% to -20%) Large Deficient (99% to -60%) No Rain (100%) No Data


NOTES :

- a) Rainfall figures are based on operation data.
- b) Small figures indicate actual rainfall (mm), while bold figures indicate Normal rainfall (mm).
- c) Percentage Departures of rainfall are shown in brackets.



भारत मौसम विज्ञान विभाग
India Meteorological Department
जल मौसम विज्ञान प्रभाग, नई दिल्ली
Hydromet Division, New Delhi
SUBDIVISION RAINFALL MAP

Week: 20-11-2025 to 26-11-2025



Legend


Large Excess (80% or more) Excess (20% to 80%) Normal (19% to 19%) Deficient (69% to -20%) Large Deficient (99% to -60%) No Rain (100%) No Data

NOTES :

- a) Rainfall figures are based on operation data.
- b) Small figures indicate actual rainfall (mm), while bold figures indicate Normal rainfall (mm).
- c) Percentage Departures of rainfall are shown in brackets.


Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC-26thNovember,2025) (28thNovemberto 11thDecember, 2025)



- **Week 1(28.11.2025 to 04.12.2025):** Rainfall is likely to be below normal over Kerala,Tamil Nadu, South Karnataka and Andhra Pradesh.
- **Week 2 (05.12.2025 to 11.12.2025):** Rainfall is likely to be below normal over Kerala and Tamil Nadu. Rainfall activity is also likely over Jammu & Kashmir and Himachal Pradesh.

Maximum and Minimum temperature anomaly (° C) forecast for the next 2 weeks (IC- 26thNovember,2025) (28th November to 11th December, 2025)



- **Week 1 (28.11.2025 to 04.12.2025):**Maximum temperature is likely to be above normal


over North East India, Jammu & Kashmir, Himachal Pradesh and Uttarakhand. However, it is likely to be below normal over rest of the country.

- **Week 2 (05.12.2025 to 11.12.2025):** Maximum temperature is likely to be above normal over North East India, Jammu & Kashmir, Chhattisgarh, Odisha, South Karnataka and Tamil Nadu. However, it is likely to be below normal over rest of the country.

MME forecast Tmin anomaly (Deg C)

(Week 1: 28 Nov–04 Dec)

(Week 2: 05 Dec–11 Dec)



Minimum Temperature (Tmin)

- **Week 1 (28.11.2025 to 04.12.2025):** Minimum temperature is likely to be below normal over most parts of the country except North East India, Jammu & Kashmir and some parts of East Rajasthan.
- **Week 2 (05.12.2025 to 11.12.2025):** Minimum temperature is likely to be below normal over most parts of the country except North East India and Jammu & Kashmir.