

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &  
INDIA METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA AMFU,  
AICRP- Agrometeorology, UAS,GKVK  
Bengaluru – 560 065**



Date: 02-01-2026

**AGRO-ADVISORY BULLETIN FOR RAMANAGARA DISTRICT  
Issued jointly by UAS, Bangalore & Indian Meteorological Department**

**Past Weather Data (29-12-2025 to 02-01-2026)**

	29.12.2025	30.12.2025	31.12.2025	01.01.2026	02.01.2026
Rainfall (mm)	-	-	-	-	-
Max. Temp. (°C)	-	-	-	-	-
Min. Temp. (°C)	-	-	-	-	-
Sky condition (Octas)	-	-	-	-	-
Relative humidity (%) 0830 hours	-	-	-	-	-
Relative humidity (%) 1730 hours	-	-	-	-	-
Wind Speed (km/h)	-	-	-	-	-
Wind Direction	-	-	-	-	-



**Weather forecast for the next five days (From 03-01-2026 to 07-01-2026)**

Parameter	03.01.2026	04.01.2026	05.01.2026	06.01.2026	07.01.2026
Rainfall (mm)	0	0	0	0	0
Max. Temp. (°C)	26	27	26	27	26
Min. Temp. (°C)	19	18	19	18	19
Sky condition (Octas)	3	2	2	3	2
Relative humidity (%) 0830 hours	93	92	88	90	92
Relative humidity (%) 1730 hours	48	38	35	32	29
Wind Speed (kmph)	4	6	4	6	4
Wind Direction	100	96	360	82	360

**Forecast Summary**

As forecast received from IMD, cloudy sky with **No rain** expected 03-01-2026 to 07-01-2026 in Bengaluru Rural District. The day temperature is expected to be 26.0-27.0°C and night temperature is expected to be 18.0-19.0°C. The relative humidity in the morning hours is expected to be 88-93 % and afternoon relative humidity is expected to be in the range of 29-48 %, Wind speed is expected to be 4-6 km/hr.

**SMS Advisory**

Avoid pruning, fertilizer application and growth regulator sprays during cold wave conditions. Cloudy weather, cool nights may increase fungal disease risk—monitor crops closely and ensure fields have good drainage.



**Recommendations to the farmers: -**

Crop	Pest/Disease	Damage symptoms	Control measures
------	--------------	-----------------	------------------

**General Advisory:**

**Field Crops**


1. Right time for harvesting, drying, cleaning and storage of Rabi crops.
2. Apply **neem leaves/neem powder** in grain bags as a natural repellent.
3. For long-term storage of pulses, store with **tri-sodium phosphate (TSP) treated** gunny sacks to reduce bruchid attack.

**Vegetables & Horticulture**

1. Stake/support tomato, chilli, and creepers against lodging due to winds.
2. Watch for fruit borer and shoot borer in fruit development stage.
3. Spray the chemicals early morning and late evening for better pest and disease control.

**Livestock & Poultry**

1. Give dry fodder and provide shelter to animals in evening higher humidity.
2. Maintain hygiene in sheds to prevent infections.



Crop	Stage	Weather-Based Agromet Advisory
<b>Ragi</b>	Post harvest	Dry the harvested ear heads on clean tarpaulins until grain moisture reaches about 12%.
<b>Redgram</b>	Harvesting and Post harvest stage	Harvest the matured pod or whole dry plants and dry in 3-4 days and separate the seeds and store in cool places The grain moisture reaches about 14%.
<b>Maize</b>	Post harvest	Store grains at <b>12% moisture</b> or below. Store grains in <b>air-tight, moisture-proof bags</b> (HDPE, PICS, or gunny bags with polyliners).
<b>Cowpea</b>	Harvesting and Post harvest stage	Harvest the matured pod and dry in clean tarpaulins until grain moisture reaches about 15%.
<b>Field bean</b>	Harvesting and Post harvest stage	Harvest the matured pod and dry in clean tarpaulins until grain moisture reaches about 15%.
<b>Chilli</b>	Fruit development stage	Spray Carbendazim 1 g/l of water or Copper oxychloride 2.5 g/l of water for anthracnose. For thrips, use Fipronil 1 g/l of water or Neem oil 3 ml/l of water. Avoid water stagnation in crop field.
<b>Mango</b>	Flowering stage	To control of green leaf hopper in Mango spray Imidacloprid 17.8 SL @ 0.3 ml /l of water To control of powdery mildew in Mango spray wettable sulphur @ 3 g /l of water in leaf and flower parts of affected parts. Avoid irrigation during flowering unless severe moisture stress is observed.
<b>Areca nut</b>		Moist conditions may cause infestation of <b>spindle bug and inflorescence dieback</b> . To control inflorescence dieback spray Copper oxychloride 3 g/litre on bunches and crown region. To control spindle bug spray Dimethoate 30 EC @ 2 ml/litre of water. Spray



		on spindle leaves and crown region using a hand sprayer
--	--	---

Livestock, Poultry, and Sericulture Advisory	
Sector	Weather-Based Advisory
Livestock	<ol style="list-style-type: none"> <li>1. Provide dry and clean shelter; avoid animals standing in wet areas.</li> <li>2. Provide ample clean drinking water.</li> <li>3. Monitor for tick and mite infestations; use approved acaricides if needed.</li> <li>4. Provide balanced feed and mineral supplements.</li> <li>5. Minimum temperatures cause cold stress in young calves/kids. Provide bedding (dry straw) and night shelter to reduce cold exposure.</li> </ol>
Sericulture	<p>Humid and rainy conditions increase <b>grasserie, flacherie and fungal</b> diseases</p> <ol style="list-style-type: none"> <li>1. Maintain proper rearing house hygiene, clean and disinfect trays.</li> <li>2. The recommendation of farmers closes the windows with tarpaulins sheet during night hours to maintain optimum room temperature.</li> <li>3. Avoid wet or damp mulberry leaves, use air-dried or well-drained leaves.</li> </ol>
Poultry	<ol style="list-style-type: none"> <li>1. Cool early mornings need <b>brooder temperature maintenance</b> for chicks.</li> <li>2. Maintain poultry shed dryness; use <b>lime powder</b> to reduce moisture.</li> <li>3. Provide <b>electrolytes + vitamins</b> in water for immunity.</li> <li>4. Cool, humid mornings favor: <b>CRD (Chronic Respiratory Disease), Coccidiosis, Colibacillosis</b>- Follow routine vaccinations strictly (Ranikhet, IBD).</li> <li>5. Maintain optimum lighting schedule to support winter egg production.</li> </ol>

Block level weather forecast (From 03-01-2026 to 07-01-2026)					
CHANNAPATTANA BLOCK					
Parameter	03.01.2026	04.01.2026	05.01.2026	06.01.2026	07.01.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	29	29	29	29	28
Min.Temp (°C)	19	18	15	14	15
Sky condition (Octas)	2	3	0	1	3
Relative humidity (%) 0830 hours	88	86	85	89	89
Relative humidity (%) 1730 hours	40	33	27	27	32
Wind Speed (kmph)	8	9	10	8	9
Wind Direction	90	85	82	77	77

KANAKAPURA BLOCK					
Parameter	03.01.2026	04.01.2026	05.01.2026	06.01.2026	07.01.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	29	29	28	28	27
Min.Temp (°C)	18	17	15	15	15

Sky condition (Octas)	2	3	1	1	3
Relative humidity (%) 0830 hours	88	88	88	88	90
Relative humidity (%) 1730 hours	40	35	30	30	35
Wind Speed (kmph)	6	7	8	7	8
Wind Direction	97	102	88	78	82

MAGADI BLOCK					
Parameter	03.01.2026	04.01.2026	05.01.2026	06.01.2026	07.01.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	28	28	28	27	27
Min.Temp (°C)	18	17	16	15	15
Sky condition (Octas)	3	3	1	1	3
Relative humidity (%) 0830 hours	88	83	82	87	86
Relative humidity (%) 1730 hours	42	34	28	27	31
Wind Speed (kmph)	9	11	11	10	11
Wind Direction	109	103	92	81	78

RAMANAGARA BLOCK					
Parameter	03.01.2026	04.01.2026	05.01.2026	06.01.2026	07.01.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	29	29	29	28	28
Min.Temp (°C)	19	18	15	14	15
Sky condition (Octas)	2	3	1	1	3
Relative humidity (%) 0830 hours	87	85	84	88	89
Relative humidity (%) 1730 hours	40	33	28	27	32
Wind Speed (kmph)	8	10	11	9	10
Wind Direction	95	88	82	75	78


- Download “DAMINI” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “MAUSAM” APP for location specific forecast & warning & “MEGHDOOT” APP for Agromet advisory
- This information is available in the website: [mausam.imd.gov.in](http://mausam.imd.gov.in)

For any information farmers can contact **Dr. M. N. Thimmegowda**, Professor & Head/  
**Mr. L. Nagesha**, Technical officer over phone No. **9741109702/ 9008454142**

**AMFU of IMD,  
AICRP-AM, Bengaluru**

वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान  
**Realized Rainfall and Extended Range Forecast**  
(वर्षा और तापमान)  
**(Rainfall and Temperature)**


**Realized Rainfall**  
(11<sup>th</sup> to 24<sup>th</sup> December, 2025)



- Normal or above normal rainfall occurred in either of the two weeks over Jammu & Kashmir and Andaman & Nicobar Islands.
- Below Normal rainfall / No rain occurred in both the weeks over rest of the States & UTs.

**Extended Range Forecast System**


**Rainfall forecast maps for the next 2 weeks (IC- 24<sup>th</sup> December, 2025)  
(26<sup>th</sup> December, 2025 to 08<sup>th</sup> January, 2026)**



- **Week 1 (26.12.2025 to 01.01.2026):** Rainfall is likely over Jammu & Kashmir and Andaman & Nicobar Islands.
- **Week 2 (02.01.2026 to 08.01.2026):** Rainfall is likely over Jammu & Kashmir, Himachal Pradesh, Punjab, Tamil Nadu, Kerala and Andaman & Nicobar Islands.

**Maximum and Minimum temperature anomaly (°C) forecast  
for the next 2 weeks (IC- 24<sup>th</sup> December, 2025)  
(26<sup>th</sup> December, 2025 to 08<sup>th</sup> January, 2026)**


**MME forecast Tmax anomaly (Deg C)**



**Maximum Temperature (Tmax)**

- **Week 1 (26.12.2025 to 01.01.2026):** Maximum temperature is likely to be above normal over North West India, North East India, Chhattisgarh, Odisha and North Coastal Andhra Pradesh. However, it is likely to be below normal over many part of Central India, West India and South India.
- **Week 2 (02.01.2025 to 08.01.2026):** Maximum temperature is likely to be above normal over Jammu & Kashmir, Chhattisgarh, Odisha, Arunachal Pradesh, Assam, some parts of Gangetic West Bengal, Tamil Nadu and Coastal Andhra Pradesh. However, it is likely to be below normal over many parts of North West India, Central India, West India, Telangana, North Karnataka, Kerala and Andhra Pradesh.

**MME forecast Tmin anomaly (Deg C)**



**Minimum Temperature (Tmin)**

- **Week 1 (26.12.2025 to 01.01.2026):** Minimum temperature is likely to be below normal over East India, Central India, Maharashtra and South India and above normal over North West India, North East India, Gujarat and parts of Bihar.
- **Week 2 (02.01.2025 to 08.01.2026):** Minimum temperature is likely to be below normal over Odisha, Chhattisgarh, Telangana, Coastal Andhra Pradesh and many parts of Maharashtra. However, it is likely to be above normal over many parts of North West India, North East India, Gujarat, Bihar and Karnataka.