

**OF AGRICULTURAL SCIENCES, BENGALURU &
INDIA METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA AMFU,
AICRP- Agrometeorology, UAS,GKVK
Bengaluru – 560 065**



Date: 17-02-2026

**AGRO-ADVISORY BULLETIN FOR Bengaluru South DISTRICT
Issued jointly by UAS, Bangalore & Indian Meteorological Department**

Past Weather Data (13-02-2026 to 17-02-2026)

	13.02.2026	14.02.2026	15.02.2026	16.02.2026	17.02.2026
Rainfall (mm)	-	-	-	-	-
Max. Temp. (°C)	-	-	-	-	-
Min. Temp. (°C)	-	-	-	-	-
Sky condition (Octas)	-	-	-	-	-
Relative humidity (%) 0830 hours	-	-	-	-	-
Relative humidity (%) 1730 hours	-	-	-	-	-
Wind Speed (km/h)	-	-	-	-	-
Wind Direction	-	-	-	-	-



Weather forecast for the next five days (From 18-02-2026 to 22-02-2026)

Parameter	18.02.2026	19.02.2026	20.02.2026	21.02.2026	22.02.2026
Rainfall (mm)	0	0	0	0	0
Max. Temp. (°C)	31	32	31	32	31
Min. Temp. (°C)	18	19	18	19	18
Sky condition (Octas)	3	4	3	4	3
Relative humidity (%) 0830 hours	52	53	54	52	53
Relative humidity (%) 1730 hours	31	32	31	30	29
Wind Speed (kmph)	4	6	6	4	6
Wind Direction	100	101	87	88	360

Forecast Summary

As forecast received from IMD, cloudy sky with **No rain** expected 18-02-2026 to 22-02-2026 in Bengaluru South District. The day temperature is expected to be 31.0-32.0°C and night temperature is expected to be 18.0-19.0°C. The relative humidity in the morning hours is expected to be 52-54 % and afternoon relative humidity is expected to be in the range of 29-32 %, Wind speed is expected to be 4-6 km/hr.

SMS Advisory

Due to low temperature in night promotes flower drop and flower to fruit setting ratio was drastically decreased observed in mango orchard.



Recommendations to the farmers: -

Crop	Pest/Disease	Damage symptoms	Control measures
------	--------------	-----------------	------------------

General Advisory:

Field Crops


1. Right time for harvesting, drying, cleaning and storage of Rabi crops.
2. Apply **neem leaves/neem powder** in grain bags as a natural repellent.
3. For long-term storage of pulses, store with **tri-sodium phosphate (TSP) treated** gunny sacks to reduce bruchid attack.

Vegetables & Horticulture

1. Watch for fruit borer and shoot borer in fruit development stage.
2. Spray the chemicals early morning and late evening for better pest and disease control.

Livestock & Poultry

1. Give dry fodder and provide shelter to animals in evening higher humidity.
2. Maintain hygiene in sheds to prevent infections.



Crop	Stage	Pest and Diseases	Weather-Based Agromet Advisory
Cowpea	Post harvest stage		Harvest the matured pod and dry in clean tarpaulins until grain moisture reaches about 15%.
Field bean	Post harvest stage		Harvest the matured pod and dry in clean tarpaulins until grain moisture reaches about 15%.
Chilli	Fruit development stage	Thrips	Spray Carbendazim 1 g/l of water or Copper oxychloride 2.5 g/l of water for anthracnose. For thrips, use Fipronil 1 g/l of water or Neem oil 3 ml/l of water. Avoid water stagnation in crop field. 
Mango	Marble stage	Powdery mildew and Green leaf hopper	To control of green leaf hopper in Mango spray Imidacloprid 17.8 SL @ 0.3 ml /l of water To control of powdery mildew in Mango spray wettable sulphur @ 3 g /l of water in leaf and flower parts of affected parts.
Arecanut		Spindle bug	Moist conditions may cause infestation of spindle bug and inflorescence dieback . To control inflorescence dieback spray Copper oxychloride 3 g/litre on bunches and crown region. To control spindle bug spray Dimethoate 30 EC @ 2 ml/litre of water. Spray on spindle leaves and crown region using a hand sprayer 

Livestock, Poultry, and Sericulture Advisory

Sector	Weather-Based Advisory
Livestock	<ol style="list-style-type: none"> 1. Provide dry and clean shelter; avoid animals standing in wet areas. 2. Provide ample clean drinking water. 3. Monitor for tick and mite infestations; use approved acaricides if needed. 4. Provide balanced feed and mineral supplements. 5. Minimum temperatures cause cold stress in young calves/kids. Provide bedding (dry straw) and night shelter to reduce cold exposure.
Sericulture	<p>Humid and rainy conditions increase grasserie, flacherie and fungal diseases</p> <ol style="list-style-type: none"> 1. Maintain proper rearing house hygiene, clean and disinfect trays. 2. The recommendation of farmers closes the windows with tarpaulins sheet during night hours to maintain optimum room temperature. 3. Avoid wet or damp mulberry leaves, use air-dried or well-drained leaves.
Poultry	<ol style="list-style-type: none"> 1. Cool early mornings need brooder temperature maintenance for chicks. 2. Maintain poultry shed dryness; use lime powder to reduce moisture. 3. Provide electrolytes + vitamins in water for immunity. 4. Cool, humid mornings favor: CRD (Chronic Respiratory Disease), Coccidiosis, Colibacillosis- Follow routine vaccinations strictly (Ranikhet, IBD). 5. Maintain optimum lighting schedule to support winter egg production.

Block level weather forecast (From 18-02-2026 to 22-02-2026)

CHANNAPATTANA BLOCK

Parameter	18.02.2026	19.02.2026	20.02.2026	21.02.2026	22.02.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	32	33	33	33	32
Min.Temp (°C)	17	17	17	18	19
Sky condition (Octas)	3	1	2	4	5
Relative humidity (%) 0830 hours	69	74	75	81	87
Relative humidity (%) 1730 hours	16	16	23	32	34
Wind Speed (kmph)	8	7	7	9	9
Wind Direction	85	90	93	85	85

KANAKAPURA BLOCK

Parameter	18.02.2026	19.02.2026	20.02.2026	21.02.2026	22.02.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	31	33	33	32	32
Min.Temp (°C)	17	16	17	18	20
Sky condition (Octas)	3	2	2	3	5
Relative humidity (%) 0830 hours	72	78	77	81	86
Relative humidity (%) 1730 hours	18	17	25	34	38
Wind Speed (kmph)	7	6	6	7	7

Wind Direction	93	104	97	96	87
-----------------------	----	-----	----	----	----

MAGADI BLOCK

Parameter	18.02.2026	19.02.2026	20.02.2026	21.02.2026	22.02.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	31	32	32	32	32
Min.Temp (°C)	16	16	17	18	19
Sky condition (Octas)	4	1	3	4	5
Relative humidity (%) 0830 hours	65	74	75	81	87
Relative humidity (%) 1730 hours	16	15	23	31	33
Wind Speed (kmph)	10	11	10	12	11
Wind Direction	102	105	103	105	101

RAMANAGARA BLOCK

Parameter	18.02.2026	19.02.2026	20.02.2026	21.02.2026	22.02.2026
Rainfall (mm)	0	0	0	0	0
Max. temp (°C)	32	33	33	33	32
Min.Temp (°C)	17	17	17	18	19
Sky condition (Octas)	3	1	2	4	5
Relative humidity (%) 0830 hours	68	74	74	81	87
Relative humidity (%) 1730 hours	16	16	24	32	34
Wind Speed (kmph)	9	8	8	9	10
Wind Direction	85	90	93	85	86


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr. M. N. Thimmegowda**, Professor & Head/
Mr. L. Nagesha, Technical officer over phone No. **9741109702/ 9008454142**

**AMFU of IMD,
AICRP-AM, Bengaluru**

वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
 (वर्षा और तापमान)
(Rainfall and Temperature)


Realized Rainfall
(08th to 21st January 2026)



- Normal or above normal rainfall occurred in either of the two weeks over Karnataka, Kerala & Mahe and Tamil Nadu-Puducherry-Karaikal.
- Below Normal rainfall / No rain occurred in both the weeks over rest of the States & UTs.

Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC- 21st January,2026) (23rd January to 05th February, 2026)




- **Week 1 (23.01.2025 to 29.01.2026):** Rainfall associated with Western Disturbance is likely to be above normal over many parts of Northwest India.
- **Week 2 (30.01.2025 to 05.02.2026):** Rainfall activity is likely over Jammu & Kashmir, Himachal Pradesh and Arunachal Pradesh.

Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC- 21st January,2026) (23rd January to 05th February,2026)

MME forecast Tmax anomaly (Deg C)

(Week1: 23Jan–29Jan)

(Week2: 30Jan–05Feb)




Maximum Temperature (Tmax)

- **Week 1 (23.01.2025 to 29.01.2026):** Maximum temperature is likely to be above normal over Jammu & Kashmir, Chhattisgarh, Odisha, Arunachal Pradesh, Assam, North Coastal Andhra Pradesh and some parts of Uttarakhand. However, it is likely to be below normal over Punjab, Haryana, Rajasthan, West India and many parts of Central & South India.
- **Week 2 (30.01.2025 to 05.02.2026):** Maximum temperature is likely to be above normal over North West India, Chhattisgarh, Odisha, Arunachal Pradesh, Assam and parts of Coastal Andhra Pradesh & South Karnataka. However, it is likely to be below normal over North Karnataka, Telangana, Rayalaseema and many parts of Central & West India.

MME forecast Tmin anomaly (Deg C)

(Week1: 23Jan–29Jan)

(Week2: 30Jan–05Feb)



Minimum Temperature (Tmin)

- **Week 1 (23.01.2025 to 29.01.2026):** Minimum temperature is likely to be below normal over Chhattisgarh, Vidarbha and many parts of North West, East & South India. However,

it is likely to be above normal over North East India, many parts of Jammu & Kashmir and some parts of West Madhya Pradesh, Madhya Maharashtra & South Karnataka.

- **Week 2 (30.01.2025 to 05.02.2026):** Minimum temperature is likely to be below normal over East India, West Rajasthan, Chhattisgarh, Telangana, Kerala and Tamil Nadu. However, it is likely to be above normal over many parts of North West India, North East India, Gujarat, Madhya Pradesh, Madhya Maharashtra and South Karnataka.