

**OF AGRICULTURAL SCIENCES, BENGALURU &  
INDIA METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA AMFU,  
AICRP- Agrometeorology, UAS,GKVK  
Bengaluru – 560 065**



Date: 20-02-2026

**AGRO-ADVISORY BULLETIN FOR Bengaluru South DISTRICT  
Issued jointly by UAS, Bangalore & Indian Meteorological Department**

**Past Weather Data (16-02-2026 to 20-02-2026)**

	16.02.2026	17.02.2026	18.02.2026	19.02.2026	20.02.2026
Rainfall (mm)	-	-	-	-	-
Max. Temp. (°C)	-	-	-	-	-
Min. Temp. (°C)	-	-	-	-	-
Sky condition (Octas)	-	-	-	-	-
Relative humidity (%) 0830 hours	-	-	-	-	-
Relative humidity (%) 1730 hours	-	-	-	-	-
Wind Speed (km/h)	-	-	-	-	-
Wind Direction	-	-	-	-	-



**Weather forecast for the next five days (From 21-02-2026 to 25-02-2026)**

Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026	25.02.2026
Rainfall (mm)	0	2	0	0	2
Max. Temp. (°C)	31	32	31	32	31
Min. Temp. (°C)	18	18	19	18	18
Sky condition (Octas)	2	4	4	2	4
Relative humidity (%) 0830 hours	55	56	58	59	57
Relative humidity (%) 1730 hours	30	34	36	34	35
Wind Speed (kmph)	4	6	4	6	6
Wind Direction	94	93	96	118	130

**Forecast Summary**

As forecast received from IMD, cloudy sky with **No rain** expected 21-02-2026 to 25-02-2026 in Bengaluru South District. The day temperature is expected to be 31.0-32.0°C and night temperature is expected to be 18.0-19.0°C. The relative humidity in the morning hours is expected to be 55-59 % and afternoon relative humidity is expected to be in the range of 30-36 %, Wind speed is expected to be 4-6 km/hr.

**SMS Advisory**

Due to low temperature in night promotes flower drop and flower to fruit setting ratio was drastically decreased observed in mango orchard.



**Recommendations to the farmers: -**

Crop	Pest/Disease	Damage symptoms	Control measures
------	--------------	-----------------	------------------

**General Advisory:**

**Field Crops**

1. Right time for harvesting, drying, cleaning and storage of Rabi crops.
2. Apply **neem leaves/neem powder** in grain bags as a natural repellent.
3. For long-term storage of pulses, store with **tri-sodium phosphate (TSP) treated** gunny sacks to reduce bruchid attack.

**Vegetables & Horticulture**

1. Watch for fruit borer and shoot borer in fruit development stage.
2. Spray the chemicals early morning and late evening for better pest and disease control.

**Livestock & Poultry**

1. Give dry fodder and provide shelter to animals in evening higher humidity.
2. Maintain hygiene in sheds to prevent infections.



Crop	Stage	Pest and Diseases	Weather-Based Agromet Advisory
<b>Cowpea</b>	Post harvest		Harvest fully matured and dried pods during morning hours to avoid shattering loss and dry in clean tarpaulins until grain moisture reaches about 15%. Remove damaged, shrivelled and pest-infested grains. Proper grading improves market value.
<b>Field bean</b>	Post harvest		Harvest the matured pod and dry in clean tarpaulins until grain moisture reaches about 15%. Store in airtight containers or HDPE bags. Use phosphine fumigation only under expert supervision.
<b>Chilli</b>	Fruit development stage	Thrips	For thrips, use Fipronil 1 g/l of water or Neem oil 3 ml/l of water.  Apply recommended dose of potash to improve fruit quality and pungency. Foliar spray of micronutrients (Zn + Boron) if deficiency symptoms appear.
<b>Mango</b>	Marble stage	Powdery mildew and Green leaf hopper	Due to cool night temperature promotes flower drop observed to control to spray 1% potassium nitrate (KNO <sub>3</sub> ) if flowering is uneven. Apply recommended micronutrients (Zn, Boron) if deficiency symptoms are observed. Provide light irrigation at 10–12 day intervals if soil moisture is low. To control of green leaf hopper in Mango spray Imidacloprid 17.8 SL @ 0.3 ml /l of water To control of powdery mildew in Mango spray wettable sulphur @ 3 g /l of water in leaf and flower parts of affected parts.
<b>Arecanut</b>		Spindle bug	Apply dry leaves, coconut husk or organic mulch in basins to conserve moisture.

			To control spindle bug spray Dimethoate 30 EC @ 2 ml/litre of water. Spray on spindle leaves and crown region using a hand sprayer
--	--	--	--

Livestock, Poultry, and Sericulture Advisory	
Sector	Weather-Based Advisory
<b>Livestock</b>	<ol style="list-style-type: none"> <li>1. Provide dry and clean shelter; avoid animals standing in wet areas.</li> <li>2. Provide clean and cool drinking water <b>3–4 times/day</b>. Ensure sufficient water availability at all times.</li> <li>3. Monitor for tick and mite infestations; use approved acaricides if needed.</li> <li>4. Provide balanced feed and mineral supplements.</li> <li>5. Provide shade, proper ventilation, and sprinkle water on shed roof if needed during peak afternoon heat.</li> <li>6. Continue vaccination and deworming schedules. Observe for signs of heat stress (panting, reduced feed intake).</li> </ol>
<b>Sericulture</b>	<p>Chawki (early stage): Maintain temperature 26–28°C and RH 75–85%. Sprinkle water on floor to maintain humidity if required.</p> <p>Late age larvae: Maintain temperature 24–26°C and RH 65–70%. Ensure good ventilation to prevent disease incidence.</p> <p>Provide fresh, tender leaves in required quantity. Avoid wilted leaves.</p> <p>Disinfect rearing house and appliances before batch rearing. Remove bed refuse regularly.</p>
<b>Poultry</b>	<ol style="list-style-type: none"> <li>1. Ensure proper airflow in poultry sheds. Use fans if necessary.</li> <li>2. Provide cool water with electrolytes during hot hours.</li> <li>3. Provide <b>electrolytes + vitamins</b> in water for immunity.</li> <li>4. Keep litter dry to prevent ammonia accumulation.</li> <li>5. Maintain biosecurity measures and regular health monitoring..</li> </ol>

Block level weather forecast (From 21-02-2026 to 25-02-2026)					
CHANNAPATTANA BLOCK					
Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026	25.02.2026
<b>Rainfall (mm)</b>	0	1	0	0	1
<b>Max. temp (°C)</b>	33	32	33	34	34
<b>Min.Temp (°C)</b>	18	19	20	20	21
<b>Sky condition (Octas)</b>	2	2	4	4	3
<b>Relative humidity (%) 0830 hours</b>	83	87	86	82	82
<b>Relative humidity (%) 1730 hours</b>	31	32	28	25	25
<b>Wind Speed (kmph)</b>	8	9	8	5	4
<b>Wind Direction</b>	82	85	85	108	135

**KANAKAPURA BLOCK**

Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026	25.02.2026
Rainfall (mm)	0	0	0	0	1
Max. temp (°C)	32	32	33	34	34
Min.Temp (°C)	18	19	20	20	20
Sky condition (Octas)	2	2	3	4	3
Relative humidity (%) 0830 hours	84	88	88	85	85
Relative humidity (%) 1730 hours	34	34	29	25	25
Wind Speed (kmph)	5	7	6	6	5
Wind Direction	90	90	90	113	135

**MAGADI BLOCK**

Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026	25.02.2026
Rainfall (mm)	0	1	0	0	1
Max. temp (°C)	32	32	32	33	33
Min.Temp (°C)	18	19	19	19	20
Sky condition (Octas)	2	3	4	4	4
Relative humidity (%) 0830 hours	82	86	85	82	83
Relative humidity (%) 1730 hours	31	31	28	25	24
Wind Speed (kmph)	11	11	9	7	6
Wind Direction	106	101	104	131	152

**RAMANAGARA BLOCK**

Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026	25.02.2026
Rainfall (mm)	0	0	0	0	1
Max. temp (°C)	33	32	33	33	34
Min.Temp (°C)	18	19	20	20	20
Sky condition (Octas)	2	2	4	4	3
Relative humidity (%) 0830 hours	83	86	85	82	84
Relative humidity (%) 1730 hours	31	32	27	25	25
Wind Speed (kmph)	8	10	8	5	5
Wind Direction	82	88	85	110	129


- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: [mausam.imd.gov.in](http://mausam.imd.gov.in)

For any information farmers can contact **Dr. M. N. Thimmegowda**, Professor & Head/  
**Mr. L. Nagesha**, Technical officer over phone No. **9741109702/ 9008454142**

**AMFU of IMD,  
AICRP-AM, Bengaluru**

वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान  
**Realized Rainfall and Extended Range Forecast**  
 (वर्षा और तापमान)  
 (Rainfall and Temperature)



**Realized Rainfall**  
 (05<sup>th</sup> to 18<sup>th</sup> February 2026)



- Normal or above normal rainfall occurred in either of the two weeks over Andaman-Nicobar Islands
- Below Normal rainfall / No rain occurred in both the weeks over rest of the States & UTs.

## Extended Range Forecast System

### Rainfall forecast maps for the next 2 weeks (IC- 18<sup>th</sup> February, 2026) (20<sup>th</sup> February to 05<sup>th</sup> March 2026)




- **Week 1 (20.02.2025 to 26.02.2026):** Rainfall is likely to be above normal over Kerala and adjoining parts of South Interior Karnataka and Tamil Nadu. Rainfall is likely over some parts of Arunachal Pradesh and Uttarakhand.
- **Week 2 (27.02.2025 to 05.03.2026):** Rainfall is likely over some parts of Kerala, Tamil Nadu, South Interior Karnataka, Jammu & Kashmir, Assam, North East India and adjoining parts of Himachal Pradesh.

### Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC- 11<sup>th</sup> February, 2026) (13<sup>th</sup> to 26<sup>th</sup> February, 2026)

### MME forecast Tmax anomaly (Deg C)

(Week1: 20Feb-26Feb)

(Week2: 27Feb-05Mar)




#### Maximum Temperature (Tmax)

- **Week 1 (20.02.2025 to 26.02.2026):** Maximum temperature is likely to be above normal over North West India, East India, North East India, Chhattisgarh, Coastal Andhra Pradesh, coastal Karnataka, Konkan-Goa and many parts of Gujarat. However, it is likely to be below normal over many parts of Central India, Maharashtra and many parts of South India.
- **Week 2 (27.02.2025 to 05.03.2026):** Maximum temperature is likely to be above normal over many parts of North West India, East India, North East India, Chhattisgarh, Tamil Nadu, Coastal Andhra Pradesh and some parts of Saurashtra-Kutch. However, it is likely to be below normal over many parts of Central India, Maharashtra, Telangana, Rayalaseema, Karnataka and Kerala.

### MME forecast Tmin anomaly (Deg C)

(Week1: 20Feb-26Feb)

(Week2: 27Feb-05Mar)



#### Minimum Temperature (Tmin)

- **Week 1 (20.02.2025 to 26.02.2026):** Minimum temperature is likely to be below normal over many parts of East India, Chhattisgarh, Marathwada, Vidarbha, Telangana, Coastal Andhra Pradesh and Kerala. However, it is likely to be above normal over North West India, West Madhya Pradesh, Bihar, Gujarat, Madhya Maharashtra, South Karnataka, Tamil Nadu, Rayalaseema and some parts of North East India.
- **Week 2 (27.02.2025 to 05.03.2026):** Minimum temperature is likely to be below normal over Odisha, Jharkhand, Chhattisgarh, Telangana and Vidarbha. However, it is likely to be above normal over many parts of North West India, Bihar, Gujarat, some parts of Madhya Maharashtra, Madhya Pradesh, Karnataka, Rayalaseema, Southern parts of Coastal Andhra Pradesh and North East India.

