UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date:23-05-2025

AGRO-ADVISORY BULLETIN FOR KODAGU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data							
Parameter	22.05.2025	23.05.2025					
Rainfall (mm)	1.5	1	1	2			
Max. Temp. (°C)	29.2	29.2	24.4	27.2			
Min. Temp. (°C)	21.6	20.9	19.8	21.2			
Sky condition (Octas)	0	0	0	0			
Relative humidity (%) 0830 hours	98	99	100	98			
Relative humidity (%) 1730 hours	94	94	94	97			
Wind Speed (km/h)	0	0	0	0			
Wind Direction	0	0	0	0			

Weather forecast for the next five days (From 24-05-2025 to 28-05-2025)

Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025
Rainfall (mm)	30	50	50	55	35
Max. Temp. (°C)	26	26	26	25	25
Min. Temp. (°C)	20.2	21	21	21	20
Sky condition (Octas)	7	7	8	8	8
Relative humidity (%) 0830 hours	98	97	96	98	96
Relative humidity (%) 1730 hours	63	84	85	86	87
Wind Speed (kmph)	16	16	14	14	12
Wind Direction	225	221	238	229	248

Forecast Summary

As forecast received from IMD, cloudy sky with Moderate rainfall may be expected from 24.05.2025 to 28.05.2025 in Kodagu district. The day temperature is expected to be 25-26°C & night temperature is expected 20.2-21°C. The relative humidity in the morning hours is expected to be 96-98% & afternoon relative humidity is expected to be in the range of 61-63%. Wind speed expected to be 12-16 km/hr.

SMS Advisory

Rain expected daily in Kodagu. Avoid irrigation & spraying. Dry & store harvested produce. Watch for fungal diseases. Protect livestock shelters.

General Advisory

- 1. **Rainfall expected daily** avoid irrigation and schedule fieldwork during non-rainy hours.
- 2. **High humidity & cloudy sky** increased risk of fungal diseases; monitor for leaf spot, blight, and powdery mildew in crops.
- 3. **Fertilizer and pesticide application** should be avoided during rainfall; plan for spraying during dry spells.
- 4. **Harvested produce** (like coffee or pepper) should be dried and stored in waterproof, elevated areas to avoid spoilage.
- 5. **Livestock and poultry** shelters must be checked for leaks; ensure dry bedding and adequate ventilation to prevent infections.

Recommendations to the farmers:-							
Crop	Pest/Disease	Damage symptoms	Control measures				
General Advisory	y :						

Light rainfall is expected in the Kodagu region. Farmers are advised to ensure proper drainage in fields and avoid spraying chemicals during rainy days. Support banana plants to prevent lodging due to wind. Monitor coffee and pepper crops for fungal diseases and plan sprays after the rains.

Crops and Suitable Varieties for Sowing in May						
Crop Type	Crop Name	Recommended Varieties				
Millets &	Ragi	Indaf-9, GPU-45, 23.2.0350-48				
Cereals	Maize (Shaktiman	CSV-4, CSH-5, CSH-9				
	Maize)					
	Sweet Corn	Hema, Nityashree, MAH-14-5, MAH-14-138				
	Pop Corn	Amba				
	Foxtail Millet (Navane)	SIA-326				
	Barnyard Millet	RBK-155, GPUK-3				
	(Haraka)					
	Little Millet (Same)	CO-2, OLM-203				
	Proso Millet (Baragu)	GPUP-8, GPUP-21				
	Kodo Millet (Oodalu)	DHB M-93-3				
	Browntop Millet	GPUBT-2				
	(Korale)					
Pulses	Red Gram	BRG-1, 2, 3, 4, 5, ICP-7035, TTB-7, Hyderabad-3C				
	Green Gram	PS-16, Pusa Baisakhi, PDM-84-178,30-3				
	Black Gram	Karagaon-3, T-9, Rashmi (LBG-625), LBG-791 (Suraksha)				
	Cowpea	TVX-944-02I, KBC-1, KBC-2, KM-9, KM-5, KC-8 (KBC-				
		11), PGCP-6				
Oilseeds	Groundnut	GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114,				
		JL-24, TMV-2, GKVK-27				
	Soybean (Irrigated)	MAUS-2 (Pooja), Karune (vegetable type), KBS-23				
	Sesame	GT-1, Navile-1 (Tunga), TMV-3, T-7, GKVK S-1				
Horticultural	Fruits & Vegetables	Banana, Arecanut, Chilli, Turmeric, Potato, Ginger				
Fodder Crops	Fodder Sorghum	JESET-3				
	Cowpea (Fodder)	MFC-09-01, MFC -08-14, MFC -09-03				
	Bajra-Napier Grass	PBN-342				

Weather-Based Crop Stage Advisory (Kodagu Region)						
Crop	Stage	Advisory				
Coffee	Berry Development	Light irrigation may not be needed due to rainfall; watch for berry borer.				
Black Pepper	Flowering/Early Spike	Good moisture supports spike setting; maintain shade and drainage.				
Cardamom	Flowering	Humid conditions are ideal; control fungal diseases with preventive sprays.				
Arecanut	Nut Development	Monitor for spindle bug and yellow leaf disease; provide drainage.				
Banana	Bunch Development	Propping may be required to avoid lodging; ensure proper nutrition.				
Ginger/Turmeric	Rhizome Development	Maintain proper drainage; light rain helps sprouting in new sowings.				
Paddy (Summer)	Flowering to Milking	Adequate moisture from rain; avoid standing water to prevent lodging.				
Vegetables	Fruiting (Tomato, Brinjal)	Mulching helps retain soil moisture; spray fungicides prevent fruit rot.				
Chilli	Fruit development	High humidity may favor anthracnose; monitor and use protective sprays.				
Pulses (Green gram, etc.)	Pod Formation	Ensure good drainage; pests like pod borer may increase—scouting needed.				

Livestock & Sericulture Advisory					
Component	Advisory				
Dairy Animals	Provide clean drinking water; maintain ventilation due to humid weather.				
Poultry	Ensure dry bedding and airflow to prevent respiratory infections.				
Silkworms	Maintain hygiene and optimum humidity (~75%) inside rearing house.				

Block level weather forecast (From 24-05-2025 to 28-05-2025)							
Madikeri							
Parameter 24.05.2025 25.05.2025 26.05.2025 27.05.2025 28.05.2025							
Rainfall (mm)	25.4	76	216.9	81.4	56.2		
Max. temp (°C)	22.2	21.1	21.1	21.1	21.2		
Min.Temp (°C)	8	8	8	8	8		
Sky condition (Octas)	19.9	20.2	20.2	19.7	19.5		
Relative humidity (%) 0830 hours	98	98	98.1	97.8	96.4		
Relative humidity (%) 1730 hours	91.4	96.7	97.4	95.8	94.5		
Wind Speed (kmph)	8.7	12.4	12.4	10	12.3		
Wind Direction	225	234.4	244.2	249	249.4		

Somvarpet						
Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025	
Rainfall (mm)	24	77.6	190.8	77.6	55.4	
Max. temp (°C)	23.6	21.4	21.4	20.9	21	
Min.Temp (°C)	8	8	8	8	8	
Sky condition (Octas)	19.9	20.1	19.9	19.5	19.5	
Relative humidity (%) 0830 hours	97.2	96.6	97.8	97.3	95.2	
Relative humidity (%) 1730 hours	83.8	93.6	94.5	93.1	92.4	
Wind Speed (kmph)	5.9	10.7	13.8	10.8	13.7	
Wind Direction	256	258.3	261	268.1	267	

Virajpet						
Parameter	24.05.2025	25.05.2025	26.05.2025	27.05.2025	28.05.2025	
Rainfall (mm)	25.7	72.8	208	111.8	44.9	
Max. temp (°C)	23.5	22.2	22.2	22.2	22.5	
Min.Temp (°C)	8	8	8	8	8	
Sky condition (Octas)	21	21.2	21.2	20.8	20.6	
Relative humidity (%) 0830 hours	98.2	97.9	98.2	97.9	97.1	
Relative humidity (%) 1730 hours	90.6	96.1	96.7	96.4	95	
Wind Speed (kmph)	7.1	11	11.5	8.9	9.8	
Wind Direction	220.9	229	237.8	238.2	241.5	


- Download "**DAMINI**" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM"APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr. C. Ramachandra**, Senior Farm Superintendent/ **Dr. SumanthKumar.G.V**, Technical officer over phone No. 0821-259126/ 9535345814

AMFU of IMD,


Naganahalli, Mysuru


वास्तविकवर्षातथाविस्तारितअवधिपूर्वानुमान
Realized Rainfall and Extended Range Forecast
(वर्षाऔरतापमान)
(Rainfall and Temperature)



Extended Range Forecast System


Rainfall forecast maps for the next 2 weeks (IC- 14th May,2025) (16thto 29thMay, 2025)





- Week1(16.05.2025 to 22.05.2025):Rainfall is likely to be above normal overSouth India, Maharashtra, Odisha and many parts of North East India.
- Week 2 (23.05.2025 to 29.05.2025):Rainfall is likely to be above normal over South India, Maharashtra, many parts of East India, Nagaland Manipur Mizoram & Tripura, Chhattisgarh and East Uttar Pradesh.

Maximum and Minimum temperature anomaly ($^{\circ}$ C) forecast for the next 2 weeks (IC- 14^{th} May,2025) $(16^{th}to~29^{th}May,~2025)$



Maximum Temperature (Tmax)

• Week 1 (16.05.2025 to 22.05.2025): Maximum temperature is likely to above normal over

- many parts of North West India and East India and below normal over remaining parts of the country.
- Week 2 (23.05.2025 to 29.05.2025): Maximum temperature is likely to be above normal over North West India, Gujarat, Madhya Pradesh, some parts of Odisha, Assam and Arunachal Pradesh and below normal over remaining parts of the country.

MME forecast Tmin anomaly (Deg C) (Week1: 16May-22May) (Week2: 23May-29May) 35N 35N 30N 30N 25N 25N 20N 20N 15N 15N 10N 10N 5N -5N 7ÔE 91E

Minimum Temperature (Tmin)

- Week 1 (16.05.2025 to 22.05.2025): Minimum temperature is likely to be above normal over many parts of North West India, East India and some parts of Karnataka and below normal over remaining parts of the country.
- Week 2 (23.05.2025 to 29.05.2025): Minimum temperature is likely to be above normal over many parts of North West India, Gujarat, Madhya Maharashtra and some parts of Karnataka and below normal over remaining parts of the country.